

ORIGINAL PAPER

Randomised controlled trials of homeopathy in humans: characterising the research journal literature for systematic review

Robert T Mathie^{1,*}, Daniela Hacke², Jürgen Clausen², Ton Nicolai³, David S Riley⁴ and Peter Fisher⁵

¹British Homeopathic Association, Hahnemann House, 29 Park Street West, Luton LU1 3BE, UK

²Karl und Veronica Carstens-Stiftung, Am Deimelsberg 36, D-45276 Essen, Germany

³European Committee for Homeopathy, Chaussée de Bruxelles 132, 1190 Brussels, Belgium

⁴2437 NW Overton Street, Portland, OR 97210, USA

⁵Royal London Hospital for Integrated Medicine, 60 Great Ormond Street, London WC1N 3HR, UK

Introduction: A new programme of systematic reviews of randomised controlled trials (RCTs) in homeopathy will distinguish important attributes of RCT records, including: placebo controlled *versus* other-than-placebo (OTP) controlled; individualised *versus* non-individualised homeopathy; peer-reviewed (PR) *versus* non peer-reviewed (NPR) sources.

Aims: (a) To outline the methods used to search and categorise the RCT literature; (b) to report details of the records retrieved; (c) to compare our retrieved records with those reported in two previous systematic reviews (Linde *et al.*, 1997; Shang *et al.*, 2005).

Methods: Ten major electronic databases were searched for records published up to the end of 2011. A record was accepted for subsequent systematic review if it was a substantive report of a clinical trial of homeopathic treatment or prophylaxis in humans, randomised and controlled, and published in a PR or NPR journal.

Results: 489 records were potentially eligible: 226 were rejected as non-journal, minor or repeat publications, or lacking randomisation and/or controls and/or a 'homeopathic' intervention; 263 (164 PR, 99 NPR) were acceptable for systematic review. The 263 accepted records comprised 217 (137 PR, 80 NPR) placebo-controlled RCTs, of which 121 were included by, 66 were published after, and 30 were potentially eligible for, but not listed by, Linde or Shang. The 137 PR records of placebo-controlled RCTs comprise 41 on individualised homeopathy and 96 on non-individualised homeopathy.

Conclusion: Our findings clarify the RCT literature in homeopathy. The 263 accepted journal papers will be the basis for our forthcoming programme of systematic reviews. *Homeopathy* (2013) 102, 3–24.

Keywords: Homeopathy; Literature search strategy; Randomised controlled trials; Systematic review

Introduction

Some randomised controlled trials (RCTs) in homeopathy are well known (e.g.^{1–5}). Such RCTs are included among the 140 papers we identified in a semi-systematic overview of the peer-reviewed (PR) literature published up to and including 2011.⁶ In our approach to the RCT evidence, we consider it important to distinguish between placebo-controlled and other-than-placebo (OTP) controlled trials, and to differentiate between individualised

*Correspondence: Robert T Mathie, British Homeopathic Association, Hahnemann House, 29 Park Street West, Luton LU1 3BE, UK.

E-mail: rmathie@britishhomeopathic.org

Received 19 June 2012; revised 19 October 2012; accepted 23 October 2012

and non-individualised homeopathy; these distinctions were made in evidence submitted to the United Kingdom Parliament's Science & Technology Committee.⁷ In common with most other reviewers of RCTs in homeopathy to date, however, we have not separated the analysis of treatment trials from that of prophylaxis trials, and our definition of 'PR' had not been precisely formulated.

No systematic review of the RCT evidence in homeopathy has ever comprised all the following attributes of: (a) treatment *versus* prophylaxis; (b) placebo *versus* OTP control; (c) individualised *versus* non-individualised (standardised) homeopathy; (d) PR *versus* non peer-reviewed (NPR) journal sources. Most of the existing comprehensive systematic reviews (including the most recent^{8,9}) have addressed only (b) above, and by focussing solely on placebo-controlled trials. Moreover, the methods and the conclusions of those two systematic reviews have been challenged.^{10,11}

The homeopathy RCT literature has significant inadequacies: for example, some studies described as 'randomised trials' turn out, on detailed reading, not to contain randomised groups; some papers report the same data as another publication (sometimes in a different language). Indeed, the multi-language nature of the homeopathy RCT literature is a major consideration, and many articles have been published in journals that are difficult to obtain.

An up-to-date, comprehensive and thorough systematic review of the entire international RCT literature in homeopathy is therefore needed. Our group has access to an established and contemporary library of research papers and books in homeopathy (Karl und Veronica Carstens-Stiftung, Essen, Germany), and we therefore have the optimum resources with which to undertake a major programme of systematic reviews of the relevant literature. The search strategy we report in this paper has ensured complete coverage of the world science literature.

In the review programme, we shall distinguish, as above, the four principal attributes of research design and publication in homeopathy: (a) treatment/prophylaxis; (b) placebo controlled/OTP controlled; (c) individualised homeopathy/non-individualised homeopathy; (d) PR/NPR journal sources. An 'eligible' record for full data extraction is defined as a substantive report of a homeopathic treatment or prophylaxis trial in humans that is randomised and controlled and is published in a PR or NPR journal. Each eligible RCT will ultimately be appraised for internal validity (risk of bias) against robust criteria, using Cochrane methods,¹² and included in appropriate meta-analysis of pre-defined outcomes. For the same RCTs we will also appraise model validity using recently defined criteria.¹³

The objectives of the present paper are: (a) to outline the methods used to search and categorise the research literature; (b) to report the categorisation of the records we have retrieved, particularly those eligible as acceptable for full systematic review; (c) to compare the number and identity of records with those reported by two previous groups of systematic reviewers (Linde *et al.*, 1997;⁸ Shang *et al.*, 2005⁹). Methods of data extraction, assessment (including internal validity and model validity) and analysis

that are specific to a given systematic review will be described as appropriate in the series of papers planned to follow this one. In those subsequent papers, RCTs will be categorised as 'treatment' or 'prophylaxis'. In addition to informing our own programme of systematic reviews in humans, the findings reported here provide a uniquely detailed source of references that clarify the literature for those interested in homeopathy and its research.

Methods: literature search and identification of studies

Criteria for study eligibility

All randomised and controlled trials of homeopathic intervention (treatment and/or prophylaxis of disease in adults or children) were eligible for review. 'Disease' is defined as any medical condition or disorder classified in the World Health Organization (WHO) International Classification of Disease (ICD version 2007).

Search methods for the identification of RCTs published in journal articles

The search aimed to target the entire world literature of RCTs in homeopathy (including NPR articles); it was not limited by language of publication.

Electronic searches: The following databases were searched from their inception up to and including December 2011: AMED (records available from 1985); CAM-Quest[®] (Karl und Veronica Carstens-Stiftung; from 1822); CINAHL (from 1981); Cochrane Central Register of Controlled Trials (CENTRAL; from 1908); Embase (from 1980); Hom-Inform^a (from 1836); LILACS; PubMed (from 1950); Science Citation Index (from 1900); Scopus (from 1823).

The main searches were carried out during the period 30 March to 11 April 2011. A supplementary search for later 2011 publications was carried out on 9–12 January 2012.

The search strategy per database was as follows:

AMED: "(homeopath* OR homoeopath*) AND (random* OR placebo* OR singl* blind* OR doubl* blind* OR clinical trial*).af".

CAM-Quest[®] (Carstens-Stiftung): "Homöopathie UND randomisierte".

CINAHL: "(homeopath* OR homoeopath*) AND random* AND trial*"

CENTRAL (Clinical Trials Register): "homeopathy (MeSH)".

Embase: "(homeopath\$ OR homoeopath\$)" together with the Scottish Intercollegiate Guidelines Network (SIGN) search strategy^b for Embase.

LILACS: "(homeopath\$ AND random\$)".

Hom-Inform: "(homeopath* OR homoeopath*) AND random* AND Article Type = Controlled Clinical Trial".

^aThe Hom-Inform database comprises records of articles published up to 2004.

^b<http://www.sign.ac.uk/methodology/filters.html>.

PubMed: (Cochrane Highly Sensitive Search Strategy – Lefebvre et al., 2009):¹⁴ “((homeopath* OR homoeopath*) AND ((randomized controlled trial[pt]) OR (controlled clinical trial[pt]) OR (randomized[tiab]) OR (placebo [tiab]) OR (clinical trials as topic[mesh:noexp]) OR (randomly[tiab]) OR (trial[ti]))) NOT (animals[mh] NOT humans[mh])”.

Science Citation Index: “Topic = (homeopath* randomized)” , plus all other pairs of terms using the variant spellings homoeopath* and randomized.

Scopus: “(homeopath* OR homoeopath*) AND (random* OR placebo* OR singl* blind* OR doubl* blind* OR clinical trial*)”.

Other literature sources: To the above findings we added references identified as an RCT of homeopathy (in humans) in a hand-search of reference lists or bibliography sections of systematic reviews (including Linde⁸ and Shang⁹), original RCT papers, and key text-books.^{15,16} We have also been in contact with other expert colleagues to minimise the chance of our missing any potentially relevant papers.

Attributes of research design and publication

(a) Placebo controlled versus OTP controlled:

Placebo controlled: A trial that describes the control group as ‘placebo’, ‘dummy’, ‘sham’, ‘inactive control’ or similar.

OTP controlled: A trial whose control is an active intervention (proven conventional and/or complementary, non-homeopathic, medicine) or is untreated.

(b) Individualised versus non-individualised homeopathy:

Individualised homeopathy: Any description that refers clearly to an intervention that involves the individual prescription of homeopathic medication for each participant in the study (and whether or not a case-taking consultation or interview is described). The intervention may involve a change of prescriptions in response to changing individual symptoms. This category includes trials in which individualised prescribing is limited within a defined range of pre-selected homeopathic medicines.

Non-individualised homeopathy: The term includes all interventions that have involved the same, specified, homeopathic medication being allocated to each and every participant in the study: clinical homeopathy, complex homeopathy or isopathy.¹⁷ This category includes trials for which eligibility requires subjects to match a particular set of characteristic symptoms, so that all trial subjects have been prescribed just one pre-defined homeopathic medicine.

(c) PR versus NPR journal article:

The peer-review status of each relevant journal was identified by inspection of that journal’s published information (website and/or printed version): the statement ‘peer reviewed’ (or equivalent phrase) enabled the journal to be so designated for our review. We did not require the explicit statement that the peer review was external to the

editorial board of the journal concerned. In cases where relevant information about the journal was absent or equivocal, its historical peer-review status was identified from *The Serials Directory*,¹⁸ where its presence in the *Peer Reviewed Index* enabled its designation ‘PR’; otherwise the journal was designated as ‘NPR’.^c

Data collection and categorisation of articles

Screening: characterising search records as potentially eligible for systematic review: At this stage, the full texts of articles were not sought: assessment was based solely on information available from each record’s title and/or abstract and/or database descriptor. Articles not reporting primary research were disregarded (except for the purpose of identifying references cited therein). Homeopathic pathogenetic (‘provings’) trials¹⁹ were also disregarded.

Non-rejection of a record at this stage was based on evidence (explicit or implicit) that randomisation was used to determine group allocation and that there were control subjects. The salient details of all such non-rejected records were saved in an *Excel* spreadsheet.

The following publication types were excluded automatically from consideration for systematic review, though we did read the full texts sufficiently to characterise the research by study design and by type of homeopathy used:

- Not a journal article:
 - Book, book chapter, conference proceedings, thesis/dissertation, newsletter, report.

Full text scrutiny: characterising journal articles as RCTs potentially acceptable for full data extraction in systematic review: The full texts of all remaining articles (in PR and NPR journals) were obtained. The following records were excluded from further assessment:

- Minor journal-article:
 - Abstract, one-page paper, other minor article <500 words, letter.

Substantive journal-articles only (PR and NPR, and translated into English as required) were given further consideration:

- Short paper (2 pages AND ≥ 500 words)
- Full paper (≥ 3 pages).

Any record was then rejected if it became clear that it was a repeat of a retained record that had been published previously and/or more definitively elsewhere.

The next aim was to identify and reject records that, on full text appraisal, could not be defined as randomised and/or controlled and/or ‘homeopathic’:

- If it was obvious that a group randomisation procedure was not part of the study design; alternate allocation,

^cThe category ‘not peer-reviewed’ includes any paper published in *The British Homoeopathic Journal* up to and including 1986, after which date the journal became peer reviewed – Fisher P. A new editor. *Br Hom J* 1986; **75**: 123.

for example, was regarded as a non-randomised procedure;

- If the study did not include a (non-homeopathy) control group of participants in the study design;
- If the research used a homeopathic dilution (including any component of complex formulations) of less than '1X' (or equivalent: e.g. 'D1');^{d, e}
- If the research used formulation(s) not described by the authors as 'homeopathic'.^f

The articles that remained were characterised as follows:

- PR or NPR journal;
- Placebo control or OTP control;
- Individualised homeopathy or non-individualised homeopathy;
- Medical condition investigated;
- Language used in main text of article.

At this stage, a paper reporting >1 RCT is listed once only and is identified, as appropriate, solely by the first-named of each of the following attributes: placebo control or OTP control; individualised or non-individualised homeopathy. Subsequent detailed analysis of such papers will reflect the full nature of the multiple-trial data.

Similarly, a paper reporting a single RCT comprising >2 groups of subjects is listed once only at this stage, and identified (prioritised for identification as above) by the attributes of just one pair of groups.

We are thus able to define the scope and nature of the literature of RCTs in homeopathy, categorising the potentially eligible journal papers primarily by:

- PR/NPR;
- Placebo control/OTP control;
- Individualised homeopathy/non-individualised homeopathy.

Our characterisation of the literature includes comparison of our search findings with those of two previous reviews of placebo-controlled RCTs.^{8,9}

- We have taken account of the relevant cut-off dates^g (reflecting acceptance criteria for the literature searches concerned and also our opportunity to detect 'repeat' publications), and comparing the numbers of records given in those two reviews.
- For Linde *et al.* (1997),⁸ we have reflected the following references listed at the end of their paper: their no. 14 and nos. 36–138 inclusive ($n = 104$).

^dMother tinctures are therefore excluded.

^eStudies fulfilled the inclusion criteria if they used an explicitly labelled 'anthroposophic' or 'homotoxicologic' medicine prepared homeopathically and whose dilution (or that of each of its components) was $\geq 1X$.

^fResearch studies on explicitly 'anthroposophic' or 'homotoxicologic' medicine fell within the inclusion criteria if the authors used the term 'homeopathic' or 'homeopathically prepared' in their description of the medicine(s) used.

^gCut-off dates: Linde *et al.*⁸: October 1995; Shang *et al.*⁹: January 2003.

- For Shang *et al.* (2005),⁹ we reflected all the references listed in their [Web Appendix 1](#) ($n = 105$). We have also reflected the records (enumerated in their [Figure 1](#)) in the categories 'could not be located', 'insufficient information', 'ineligible study design', 'multiple publication', 'no matching trial', 'no clinical outcome' or 'no homeopathic intervention' ($n = 60$). Details of these 60 records became available, as a supplementary publication,²⁰ on the authors' institution's website 4 months after their paper's publication in *The Lancet*; those records are also accounted for in our analysis.

Results: literature search findings

Four hundred and eighty-nine (489) records were identified as potentially eligible for systematic review (*PRISMA* flowchart – [Figure 1](#)).

Records rejected from further analysis ($n = 226$)

[Web Appendix 1](#) lists and characterises the 226 rejected records (see [Figure 1](#) for numerical data):

Ninety-five of the 489 records lie in the non-journal literature (book chapters, theses, etc.); 34 of the 95 were identified as a repeat of a study present elsewhere in our lists, leaving 61 non-repeat records in this category – see [Web Appendix 1](#) (sections *a* and *b*) for details. Amongst these 61 non-repeat, non-journal, records the largest category is research thesis ($n = 30$). Fifty-four of the 61 non-repeat records included comparison with placebo; 51 of the 61 studied non-individualised homeopathy ([Web Appendix 1](#), section *a*).

The non-journal records were typically retrieved from just a single electronic database (*CAM-Quest*, *Hom-Inform* or *LILACS*; data not shown); English is the majority language in these publications.

Also rejected are 32 non-substantive journal-records, 15 of which are repeat publications – see [Web Appendix 1](#) (sections *c* and *d*) for details.

Each of 46 of the remaining 362 (substantive) records is the repeat of a publication given elsewhere in our lists (details in [Web Appendix 1](#), section *e*), and so 316 are non-repeat records of substantive journal-records.

Full-text inspection of those latter 316 records revealed that the study design was not in fact randomised and/or controlled in 37 cases (18 PR, 19 NPR) – see [Figure 1](#) (details in [Web Appendix 1](#), sections *f* and *h*). Sixteen other journal-records (11 PR, 5 NPR) are also excluded from further assessment because they did not use a 'homeopathic' preparation – see [Figure 1](#) (details in [Web Appendix 1](#), sections *g* and *i*).

Thus $34 + 15 + 46 = 95$ records in total have been rejected as 'repeat' publications ([Figure 1](#)), and so there are $226 - 95 = 131$ non-repeat records in total that we have rejected from further analysis. More of those 131 rejected records reported placebo-controlled trials ($n = 107$; 81.7%) than OTP-controlled trials ($n = 24$; 18.3%) – details in [Web Appendix 1](#) (sections *a*, *c*, *f*, *g*, *h*, *i*).




Figure 1 PRISMA flowchart: inclusion and exclusion of records reporting RCTs in homeopathy.
Key to abbreviations: Indiv. = individualised; OTP = other-than-placebo.

Records accepted for further analysis (n = 263)

We therefore accepted 263 substantive, non-repeat, journal articles (164 PR, 99 NPR; Figure 1); the full reference details are provided in Table 1. These 263 records will be the basis for the systematic review of study quality and outcome evaluation in our subsequent reports.

Database retrieval: The 263 records were each retrieved from a median of 3 databases (interquartile range [IQR], 1–6 databases); a higher retrieval rate was achieved for PR (median, 6; IQR, 3–7) compared to NPR journal articles (median, 1; IQR, 1–1). The online databases yielded a widely varying total of these 263 records: overall retrieval

rate was greatest in *CAM-Quest* (PR, 139/164; NPR, 76/99), *Embase* (119/164; 12/99) and *PubMed* (116/164; 3/99), and least in *CINAHL* (46/164; 0/99) and *LILACS* (2/164; 0/99) [data not shown]. Seventeen of the 263 records were retrieved solely from sources other than the online databases; 14 of those 17 were in the NPR literature (see Table 1).

Language of publication: The most common language of publication is English (PR, 79.3%; NPR, 24.2%), followed by German (15.9%; 46.5%), and French (1.8%; 17.2%) – see Figure 2. Six other languages comprise the remaining records (3.0%; 12.1%).

Table 1 Records accepted for further analysis ($n = 263$). Each tabulation is ordered alphabetically by first author name and then by year of publication

(a) Peer reviewed ($n = 164$)

Ref. No.	First author	Year	Total databases	Language	Category	Condition
(1) Controlled by placebo: individualised homeopathy ($n = 41$)						
A1	Andrade	1991	7	Eng.	Rheumatology	Rheumatoid arthritis
A2	Bell	2004	7	Eng.	Rheumatology	Fibromyalgia
A3	Bell	2004	7	Eng.	Rheumatology	Fibromyalgia
A4	Bell	2004	6	Eng.	Rheumatology	Fibromyalgia
A5	Bell	2004	7	Eng.	Rheumatology	Fibromyalgia
A6	Bonne	2003	6	Eng.	Mental Disorder	Anxiety
A7	Brien	2011	2	Eng.	Rheumatology	Rheumatoid arthritis
A8	Carlini	1987	5	Por.	Mental Disorder	Insomnia
A9	Cavalcanti	2003	8	Eng.	Dermatology	Uraemic pruritus
A10	Chapman	1999	7	Eng.	Neurology	Brain injury
A11	de Lange de Klerk	1994	7	Eng.	Respiratory Infection	URTI
A12	Fisher	2001	7	Eng.	Rheumatology	Rheumatoid arthritis
A13	Fisher	2006	7	Eng.	Dermatology	Eczema
A14	Frass	2005	7	Eng.	Surgery & Anaesthesiology	Sepsis
A15	Frei	2005	5	Eng.	Mental Disorder	ADHD
A16	Gaucher	1994	4	Eng.	Tropical Disease	Cholera
A17	Haila	2005	7	Eng.	Oral/Dental	Xerostomia
A18	Jacobs	1993	3	Eng.	Gastroenterology	Childhood diarrhoea
A19	Jacobs	1994	8	Eng.	Gastroenterology	Childhood diarrhoea
A20	Jacobs	2001	6	Eng.	Ear, Nose & Throat	Otitis media (acute)
A21	Jacobs	2000	8	Eng.	Gastroenterology	Childhood diarrhoea
A22	Jacobs	2005	8	Eng.	Obstetrics & Gynaecology	Menopause post breast cancer
A23	Jacobs	2005	8	Eng.	Mental Disorder	ADHD
A24	Jansen	1992	3	Eng.	Gastroenterology	Proctocolitis
A25	Kainz	1996	7	Eng.	Dermatology	Warts
A26	Katz	2005	6	Eng.	Mental Disorder	Depression
A27	Kuzeff	1998	5	Eng.	Immune Disorder	Immune function
A28	Lökken	1995	8	Eng.	Surgery & Anaesthesiology	Post-operative pain
A29	Mousavi	2009	8	Eng.	Oral/Dental	Aphthous ulcer
A30	Naudé	2010	6	Eng.	Mental Disorder	Insomnia
A31	Rastogi	1999	7	Eng.	Immune Disorder	HIV
A32	Sajedi	2008	5	Eng.	Neurology	Cerebral palsy
A33	Siebenwirth	2009	6	Ger.	Dermatology	Eczema
A34	Steinsbekk	2005	6	Eng.	Respiratory Infection	URTI
A35	Straumsheim	2000	7	Eng.	Neurology	Migraine
A36	Thompson	2005	8	Eng.	Obstetrics & Gynaecology	Menopause post breast cancer
A37	Walach	1997	5	Eng.	Neurology	Headache
A38	Weatherley-Jones	2004	6	Eng.	Mental Disorder	Chronic fatigue syndrome
A39	White	2003	7	Eng.	Allergy & Asthma	Childhood asthma
A40	Whitmarsh	1997	7	Eng.	Neurology	Migraine
A41	Yakir	2001	7	Eng.	Obstetrics & Gynaecology	Premenstrual syndrome
(2) Controlled by placebo: non-individualised homeopathy ($n = 96$)						
A42	Aabel	2001	7	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A43	Aabel	2000	8	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A44	Aabel	2000	7	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A45	Adkison	2010	4	Eng.	Musculoskeletal	Muscle soreness
A46	Baillargeon	1993	0	Eng.	Cardiovascular	Blood coagulation
A47	Baker	2003	9	Eng.	Mental Disorder	Anxiety
A48	Balzarini	2000	8	Eng.	Dermatology	Radiodermatitis
A49	Beer	1999	5	Ger.	Obstetrics & Gynaecology	Induction of labour
A50	Belon	2006	3	Eng.	Toxicology	Arsenic toxicity
A51	Belon	2007	6	Eng.	Toxicology	Arsenic toxicity
A52	Bergmann	2000	7	Ger.	Obstetrics & Gynaecology	Female infertility
A53	Bernstein	2006	3	Eng.	Dermatology	Psoriasis
A54	Bernstein	2011	6	Eng.	Ear, Nose & Throat	Non-allergic rhinitis
A55	Berrebi	2001	5	Fre.	Obstetrics & Gynaecology	Postpartum lactation
A56	Bignamini	1987	3	Eng.	Cardiovascular	Hypertension
A57	Brinkhaus	2006	7	Eng.	Surgery & Anaesthesiology	Post-operative swelling
A58	Brydak	1999	2	Eng.	Respiratory Infection	Influenza
A59	Cialdella	2001	6	Fre.	Mental Disorder	Withdrawal of benzodiazepines
A60	Clark	2000	2	Eng.	Musculoskeletal	Plantar fasciitis
A61	Cornu	2010	5	Eng.	Surgery & Anaesthesiology	Post-operative bleeding
A62	Diefenbach	1997	3	Ger.	Respiratory Infection	Bronchitis
A63	Ernst	1990	5	Eng.	Cardiovascular	Varicose veins
A64	Ferley	1989	4	Eng.	Respiratory Infection	Influenza
A65	Ferrara	2008	5	Eng.	Urology	Nocturnal enuresis
A66	Fisher	1989	5	Eng.	Rheumatology	Fibromyalgia
A67	Frass	2005	4	Eng.	Respiratory Infection	Tracheal secretions
A68	Freitas	1995	2	Por.	Allergy & Asthma	Childhood asthma

Table 1 (Continued)

(a) Peer reviewed (n = 164)

Ref. No.	First author	Year	Total databases	Language	Category	Condition
A69	Friese	2007	6	Ger.	Ear, Nose & Throat	Sinusitis
A70	Friese	1997	7	Ger.	Ear, Nose & Throat	Adenoid
A71	Furuta	2003	3	Por.	Ear, Nose & Throat	Adenoid
A72	Furuta	2007	1	Por.	Ear, Nose & Throat	Tonsillitis
A73	Garrett	1997	4	Eng.	Dermatology	Leg ulcers
A74	Gerhard	1998	1	Ger.	Obstetrics & Gynaecology	Female infertility
A75	GRECHO	1989	6	Fre.	Surgery & Anaesthesiology	Post-operative ileus
A76	Hart	1997	7	Eng.	Surgery & Anaesthesiology	Post-operative pain
A77	Heusser	2009	4	Eng.	Cardiovascular	Blood coagulation
A78	Hitzenberger	2005	4	Ger.	Cardiovascular	Hypertension
A79	Hofmeyr	1990	4	Eng.	Obstetrics & Gynaecology	Postpartum pain
A80	Jacobs	2006	8	Eng.	Gastroenterology	Childhood diarrhoea
A81	Jacobs	2007	8	Eng.	Tropical Disease	Dengue fever symptoms
A82	Jawara	1997	3	Eng.	Musculoskeletal	Muscle soreness
A83	Kaziro	1984	2	Eng.	Surgery & Anaesthesiology	Post-operative pain/swelling
A84	Khuda-Bukhsh	2005	1	Eng.	Toxicology	Arsenic toxicity
A85	Khuda-Bukhsh	2011	4	Eng.	Toxicology	Arsenic toxicity
A86	Kim	2005	7	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A87	Kneis	2009	4	Eng.	Ear, Nose & Throat	Sinusitis
A88	Kolia-Adam	2008	0	Eng.	Mental Disorder	Insomnia
A89	Kotlus	2010	5	Eng.	Surgery & Anaesthesiology	Post-operative bruising
A90	La Pine	2006	6	Eng.	Mental Disorder	Shift lag
A91	Labrecque	1992	8	Eng.	Dermatology	Warts
A92	Leaman	1989	4	Eng.	Dermatology	Minor burns
A93	Lewith	2002	8	Eng.	Allergy & Asthma	Allergic asthma
A94	Lipman	1999	2	Eng.	Miscellaneous	Snoring
A95	McCutcheon	1996	5	Eng.	Mental Disorder	Anxiety
A96	Meissner	2011	1	Eng.	Cardiovascular	Blood pressure
A97	Merklinger	1995	1	Ger.	Dermatology	Eczema
A98	Mokkapatti	1992	1	Eng.	Ophthalmology	Conjunctivitis
A99	Mousavi	2009	8	Eng.	Oral/Dental	Oral lichen planus
A100	Oberbaum	2001	7	Eng.	Oral/Dental	Stomatitis
A101	Oberbaum	2005	8	Eng.	Obstetrics & Gynaecology	Postpartum bleeding
A102	Pach	2011	5	Eng.	Musculoskeletal	Low back pain
A103	Padilha	2011	7	Eng.	Toxicology	Lead poisoning
A104	Papp	1998	3	Eng.	Respiratory Infection	Influenza
A105	Paris	2008	6	Eng.	Surgery & Anaesthesiology	Post-op. analgesic intake
A106	Paris	2011	2	Eng.	Mental Disorder	Anxiety
A107	Plezbart	2005	2	Eng.	Musculoskeletal	Muscle soreness
A108	Rahlfis	1976	1	Ger.	Gastroenterology	Irritable bowel syndrome
A109	Rahlfis	1978	1	Ger.	Gastroenterology	Irritable bowel syndrome
A110	Ramelet	2000	7	Eng.	Surgery & Anaesthesiology	Post-operative haematoma
A111	Reilly	1986	7	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A112	Reilly	1994	6	Eng.	Allergy & Asthma	Allergic asthma
A113	Robertson	2007	8	Eng.	Surgery & Anaesthesiology	Post-operative pain
A114	Saruggia	1992	1	Eng.	Urology	Renal failure
A115	Schirmer	2000	6	Ger.	Musculoskeletal	Ankylosing spondylitis
A116	Schmidt	2002	7	Eng.	Miscellaneous	Body weight loss
A117	Seeley	2006	5	Eng.	Surgery & Anaesthesiology	Post-operative bruising
A118	Shipley	1983	5	Eng.	Rheumatology	Osteoarthritis
A119	Simpson	1998	6	Eng.	Ear, Nose & Throat	Tinnitus
A120	Singer	2010	4	Eng.	Surgery & Anaesthesiology	Post-operative pain
A121	Smith	2002	5	Eng.	Dermatology	Seborrhoeic dermatitis
A122	Stevinson	2003	6	Eng.	Surgery & Anaesthesiology	Post-operative pain/swelling
A123	Taylor	2000	8	Eng.	Allergy & Asthma	Perennial allergic rhinitis
A124	Tuten	1999	0	Eng.	Musculoskeletal	Muscle soreness
A125	Tveiten	1991	2	Nor.	Musculoskeletal	Muscle soreness
A126	Tveiten	1998	6	Eng.	Musculoskeletal	Muscle soreness
A127	Vickers	1997	9	Eng.	Musculoskeletal	Muscle soreness
A128	Vickers	1998	8	Eng.	Musculoskeletal	Muscle soreness
A129	von Hagens	2011	1	Eng.	Obstetrics & Gynaecology	Menopausal syndrome
A130	Weiser	1994	3	Ger.	Ear, Nose & Throat	Sinusitis
A131	Wiesenaue	1985	7	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A132	Wiesenaue	1989	7	Ger.	Ear, Nose & Throat	Sinusitis
A133	Wiesenaue	1990	1	Ger.	Allergy & Asthma	Seasonal allergic rhinitis
A134	Wiesenaue	1991	5	Ger.	Rheumatology	Rheumatoid arthritis
A135	Wiesenaue	1995	3	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A136	Wolf	2003	7	Ger.	Surgery & Anaesthesiology	Post-operative pain
A137	Zabolotnyi	2007	6	Eng.	Ear, Nose & Throat	Sinusitis

(Continued on next page)

Table 1 (Continued)

(a) Peer reviewed (n = 164)

Ref. No.	First author	Year	Total databases	Language	Category	Condition
(3) Controlled by OTP: individualised homeopathy (n = 12)						
A138	Adler	2009	2	Eng.	Mental Disorder	Depression
A139	Gerhard	1997	1	Eng.	Obstetrics & Gynaecology	Female infertility
A140	Gmünder	2002	6	Ger.	Musculoskeletal	Low back pain
A141	Harrison	1999	8	Eng.	Ear, Nose & Throat	Otitis media (chronic)
A142	Hitzenberger	1982	7	Ger.	Cardiovascular	Hypertension
A143	Paterson	2003	1	Eng.	Gastroenterology	Dyspepsia
A144	Relton	2009	7	Eng.	Rheumatology	Fibromyalgia
A145	Schreier	1997	3	Ger.	Miscellaneous	Male infertility
A146	Steinsbekk	2005	6	Eng.	Respiratory Infection	URTI
A147	Thompson	2011	5	Eng.	Allergy & Asthma	Childhood asthma
A148	van Erp	1996	3	Eng.	Tropical Disease	Malaria
A149	Witt	2009	6	Eng.	Obstetrics & Gynaecology	Vulvo-vaginal candidiasis
(4) Controlled by OTP: non-individualised homeopathy (n = 15)						
A150	Gassinger	1981	5	Ger.	Ear, Nose & Throat	Common cold
A151	Issing	2005	7	Eng.	Nausea/Vertigo	Vertigo
A152	Jobst	2005	2	Ger.	Respiratory Infection	URTI
A153	Karow	2008	2	Eng.	Surgery & Anaesthesiology	Post-operative wound healing
A154	Kienle	1973	2	Ger.	Respiratory Infection	Respiratory insufficiency
A155	Maiwald	1988	7	Ger.	Ear, Nose & Throat	Common cold
A156	Shealy	1998	1	Eng.	Rheumatology	Osteoarthritis
A157	Stam	2001	8	Eng.	Musculoskeletal	Low back pain
A158	Stoffel	2007	1	Ger.	Ophthalmology	Eye infection
A159	Taylor	2011	4	Eng.	Ear, Nose & Throat	Otitis media (acute)
A160	Totonchi	2007	1	Eng.	Surgery & Anaesthesiology	Post-operative oedema
A161	van Haselen	2000	8	Eng.	Rheumatology	Osteoarthritis
A162	Weiser	1998	7	Eng.	Nausea/Vertigo	Vertigo
A163	Weiser	1999	8	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A164	Wiesenaue	1987	1	Ger.	Cardiovascular	Orthostatic hypotension

(b) Non peer reviewed (n = 99)

Ref. No.	First author	Year	Total databases	Language	Category	Condition
(1) Controlled by placebo: individualised homeopathy (n = 13)						
A165	Awdry	1996	2	Eng.	Mental Disorder	Chronic fatigue syndrome
A166	Benzécri	1991	1	Fre.	Mental Disorder	Withdrawal of benzodiazepines
A167	Brigo	1991	3	Eng.	Neurology	Migraine
A168	Campistrous-Lavaut	1999	1	Spa.	Cardiovascular	Hypertension
A169	Chapman	1994	1	Eng.	Obstetrics & Gynaecology	Premenstrual syndrome
A170	Fisher	1986	4	Eng.	Rheumatology	Fibromyalgia
A171	Gaus	1997	1	Ger.	Neurology	Headache
A172	Grover	2009	1	Eng.	Miscellaneous	Opium addiction
A173	Ledermann	1954	1	Eng.	Tropical Disease	Tuberculosis
A174	Riveron-Garrote	1998	2	Spa.	Allergy & Asthma	Bronchial asthma
A175	Solanki	1995	2	Eng.	Gastroenterology	Intestinal amoebiasis
A176	Strauss	2000	1	Eng.	Mental Disorder	ADHD
A177	Sutherland	1954	1	Eng.	Tropical Disease	Tuberculosis
(2) Controlled by placebo: non-individualised homeopathy (n = 67)						
A178	Albertini	1984	2	Fre.	Oral/Dental	Dental neuralgia
A179	Alibeu	1990	6	Fre.	Surgery & Anaesthesiology	Post-operative agitation
A180	Aulagnier	1985	1	Fre.	Surgery & Anaesthesiology	Post-operative ileus
A181	Bekkering	1993	1	Dut.	Obstetrics & Gynaecology	Menopausal syndrome
A182	Böhmer	1992	1	Ger.	Musculoskeletal	Sprain
A183	Bordes	1986	1	Fre.	Respiratory Infection	Cough
A184	Bornoroni	1997	0	Ita.	Respiratory Infection	URTI
A185	Campbell	1976	1	Eng.	Trauma	Blunt injury
A186	Chakraborty	2009	0	Eng.	Tropical Disease	Leprosy
A187	Chirila	1984	1	Fre.	Allergy & Asthma	Seasonal allergic rhinitis
A188	Davies	1971	1	Eng.	Respiratory Infection	URTI
A189	Dexpert	1987	1	Fre.	Nausea/Vertigo	Seasickness
A190	Dorfman	1985	1	Fre.	Miscellaneous	Sports pathology
A191	Dorfman	1987	1	Fre.	Obstetrics & Gynaecology	Postpartum pain
A192	Dorfman	1988	1	Fre.	Surgery & Anaesthesiology	Post-operative haematoma
A193	Dorfman	1992	1	Fre.	Surgery & Anaesthesiology	Post-operative ileus
A194	Ferley	1987	1	Fre.	Respiratory Infection	Influenza
A195	Guillemain	1983	1	Fre.	Miscellaneous	Mental and physical stress
A196	Hariveau	1987	1	Fre.	Musculoskeletal	Muscle cramp
A197	Hariveau	1992	1	Fre.	Nausea/Vertigo	Seasickness
A198	Heilmann	1992	1	Ger.	Ear, Nose & Throat	Common cold

Table 1 (Continued)

(b) Non peer reviewed (n = 99)

Ref. No.	First author	Year	Total databases	Language	Category	Condition
A199	Hildebrandt	1984	1	Ger.	Musculoskeletal	Muscle soreness
A200	Hildebrandt	1983	1	Ger.	Musculoskeletal	Muscle soreness
A201	Hildebrandt	1983	0	Ger.	Musculoskeletal	Muscle soreness
A202	Hildebrandt	1983	1	Ger.	Musculoskeletal	Muscle soreness
A203	Kennedy	1971	1	Eng.	Surgery & Anaesthesiology	Post-operative chest infection
A204	Köhler	1991	0	Ger.	Rheumatology	Rheumatoid arthritis
A205	Kulkarni	1988	2	Eng.	Miscellaneous	Radiation protection
A206	Kurz	1993	2	Ger.	Urology	Overactive bladder
A207	Lecocq	1985	1	Fre.	Respiratory Infection	Influenza
A208	Lepaisant	1995	2	Fre.	Obstetrics & Gynaecology	Premenstrual syndrome
A209	Macedo	2005	3	Eng.	Surgery & Anaesthesiology	Post-operative pain/swelling
A210	Manchanda	1997	1	Eng.	Dermatology	Warts
A211	Matusiewicz	1995	1	Ger.	Allergy & Asthma	Bronchial asthma
A212	Matusiewicz	1999	1	Ger.	Allergy & Asthma	Bronchial asthma
A213	Matusiewicz	1997	1	Ger.	Allergy & Asthma	Bronchial asthma
A214	Mössinger	1973	0	Ger.	Ear, Nose & Throat	Pharyngitis
A215	Mössinger	1980	1	Ger.	Dermatology	Pyoderma
A216	Mössinger	1982	1	Ger.	Ear, Nose & Throat	Common cold
A217	Mössinger	1976	1	Ger.	Ear, Nose & Throat	Pharyngitis
A218	Mössinger	1976	0	Ger.	Musculoskeletal	Muscle cramp
A219	Mössinger	1976	1	Ger.	Dermatology	Pyoderma
A220	Mössinger	1977	1	Ger.	Ear, Nose & Throat	Pharyngitis
A221	Mössinger	1977	1	Ger.	Ear, Nose & Throat	Pharyngitis
A222	Mössinger	1985	1	Ger.	Ear, Nose & Throat	Otitis media (acute)
A223	Niederle	2001	1	Ger.	Ear, Nose & Throat	Tonsillitis
A224	Raschka	2006	4	Ger.	Musculoskeletal	Muscle soreness
A225	Reilly	1985	1	Eng.	Allergy & Asthma	Seasonal allergic rhinitis
A226	Ritter	1966	0	Ger.	Gastroenterology	Gastritis
A227	Rottey	1995	1	Dut.	Respiratory Infection	Influenza
A228	Ruff	1992	0	Dut.	Allergy & Asthma	Seasonal allergic rhinitis
A229	Salenko	2006	3	Rus.	Nausea/Vertigo	Seasickness
A230	Savage	1977	1	Eng.	Neurology	Stroke
A231	Savage	1978	1	Eng.	Neurology	Stroke
A232	Schmidt	1996	2	Eng.	Musculoskeletal	Muscle soreness
A233	Schwab	1990	0	Ger.	Dermatology	Various skin diseases
A234	Selkova	2005	0	Rus.	Respiratory Infection	Influenza
A235	Tétau	1993	1	Eng.	Surgery & Anaesthesiology	Post-operative haematoma
A236	Thiel	1991	2	Ger.	Musculoskeletal	Haemarthrosis
A237	Torbicka	1998	0	Ger.	Respiratory Infection	Resp. syncytial virus infection
A238	Ustianowski	1974	1	Eng.	Obstetrics & Gynaecology	Post-coital cystitis
A239	Villatoro Cadena	1991	1	Spa.	Gastroenterology	Childhood diarrhoea
A240	Werk	1994	3	Ger.	Miscellaneous	Obesity
A241	Wiesenauer	1983	2	Ger.	Allergy & Asthma	Seasonal allergic rhinitis
A242	Wolf	1992	1	Ger.	Mental Disorder	Insomnia
A243	Zell	1988	6	Ger.	Musculoskeletal	Sprain
A244	Zicari	1992	2	Ita.	Ophthalmology	Diabetic retinopathy
(3) Controlled by OTP: individualised homeopathy (n = 2)						
A245	Gerhard	1993	1	Ger.	Obstetrics & Gynaecology	Female infertility
A246	Gerhard	1999	1	Ger.	Obstetrics & Gynaecology	Female infertility
(4) Controlled by OTP: non-individualised homeopathy (n = 17)						
A247	Beer	1995	1	Ger.	Obstetrics & Gynaecology	Menopausal syndrome
A248	Bononi	2001	1	Ita.	Surgery & Anaesthesiology	Post-operative infection
A249	Casper	1967	1	Ger.	Trauma	Acute trauma
A250	Colombo	2007	0	Eng.	Respiratory Infection	Influenza
A251	Geiger	1968	1	Ger.	Trauma	Soft tissue contusion
A252	Maiko	2002	1	Ger.	Rheumatology	Osteoarthritis
A253	Maronna	2000	0	Ger.	Rheumatology	Osteoarthritis
A254	Mergen	1969	1	Ger.	Trauma	Acute trauma
A255	Nahler	1996	2	Ger.	Rheumatology	Osteoarthritis
A256	Prinzing	1948	1	Ger.	Trauma	Acute trauma
A257	Ricciotti	2005	2	Ita.	Ear, Nose & Throat	Sinusitis
A258	Stippig	1996	1	Ger.	Respiratory Infection	URTI
A259	Strösser	2000	3	Ger.	Rheumatology	Osteoarthritis
A260	Strösser	2000	2	Ger.	Nausea/Vertigo	Dizziness
A261	Supino	2002	0	Eng.	Respiratory Infection	URTI
A262	Wiesenauer	1986	1	Ger.	Allergy & Asthma	Seasonal allergic rhinitis
A263	Wolschner	2001	1	Ger.	Nausea/Vertigo	Vertigo

Key to abbreviations: Ref. No. = Reference number; ADHD = attention-deficit hyperactivity disorder; HIV = human immunodeficiency virus; Post-op. = post-operative; Resp. = respiratory; URTI = upper respiratory tract infection; Dut. = Dutch; Eng. = English; Fre. = French; Ger. = German; Ita. = Italian; Nor. = Norwegian; Por. = Portuguese; Rus. = Russian; Spa. = Spanish.

(Continued on next page)

Table 1 (Continued)

References

(a) PR (n = 164)

(1) Controlled by placebo: individualised homeopathy (n = 41)

- A1 Andrade L, Ferraz MB, Atra E, Castro A, Silva MSM. A randomized controlled trial to evaluate the effectiveness of homeopathy in rheumatoid arthritis. *Scand J Rheumatol* 1991; **20**: 204–208.
- A2 Bell IR, Lewis DA 2nd, Brooks AJ, et al. Individual differences in response to randomly assigned active individualized homeopathic and placebo treatment in fibromyalgia: implications of a double-blinded optional crossover design. *J Altern Complement Med* 2004; **10**: 269–283.
- A3 Bell IR, Lewis DA 2nd, Schwartz GE, et al. Electroencephalographic cordance patterns distinguish exceptional clinical responders with fibromyalgia to individualized homeopathic medicines. *J Altern Complement Med* 2004; **10**: 285–299.
- A4 Bell IR, Lewis DA 2nd, Lewis SE, et al. EEG alpha sensitization in individualized homeopathic treatment of fibromyalgia. *Int J Neurosci* 2004; **114**: 1195–1220.
- A5 Bell I, Lewis D, Brooks A, et al. Improved clinical status in fibromyalgia patients treated with individualized homeopathic remedies versus placebo. *Rheumatology* 2004; **43**: 577–582.
- A6 Bonne O, Shemer Y, Goral Y, Katz M, Shalev AY. A randomized, double-blind, placebo-controlled study of classical homeopathy in generalized anxiety disorder. *J Clin Psychiatr* 2003; **64**: 282–287.
- A7 Brien S, Lachance L, Prescott P, McDermott C, Lewith G. Homeopathy has clinical benefits in rheumatoid arthritis patients that are attributable to the consultation process but not the homeopathic remedy: a randomized controlled clinical trial. *Rheumatology (Oxford)* 2011; **50**: 1070–1082.
- A8 Carlini EA, Braz S, Troncone LRP, et al. Efeito hipnótico de medicação homeopática e do placebo. Avaliação pela técnica de duplo-cego e cruzamento [Hypnotic effect of homeopathic medication and placebo. Evaluation by double-blind and crossover techniques]. *Rev Assoc Med Bras* 1987; **33**: 83–88.
- A9 Cavalcanti AM, Rocha LM, Carillo R Jr, Lima LU, Lugon JR. Effects of homeopathic treatment on pruritus of haemodialysis patients: a randomized placebo-controlled double-blind trial. *Homeopathy* 2003; **92**: 177–181.
- A10 Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E. Homeopathic treatment of mild traumatic brain injury: a randomized, double-blind, placebo-controlled clinical trial. *J Head Trauma Rehabil* 1999; **14**: 521–542.
- A11 de Lange de Klerk ESM, Blommers J, Kuik DJ, Bezemer PD, Feenstra L. Effects of homeopathic medicines on daily burden of symptoms in children with recurrent upper respiratory tract infections. *Br Med J* 1994; **309**: 1329–1332.
- A12 Fisher P, Scott DL. A randomized controlled trial of homeopathy in rheumatoid arthritis. *Rheumatology* 2001; **40**: 1052–1055.
- A13 Fisher P, McCarney R, Hasford C, Vickers A. Evaluation of specific and non-specific effects in homeopathy: feasibility study for a randomised trial. *Homeopathy* 2006; **95**: 215–222.
- A14 Frass M, Linkesch M, Banyai S, et al. Adjunctive homeopathic treatment in patients with severe sepsis: a randomized, double-blind, placebo-controlled trial in an intensive care unit. *Homeopathy* 2005; **94**: 75–80.
- A15 Frei H, Everts R, von Ammon K, et al. Homeopathic treatment of children with attention deficit hyperactivity disorder: a randomized, double blind, placebo controlled crossover trial. *Eur J Pediatr* 2005; **164**: 758–767.
- A16 Gaucher C, Jeulin D, Peycru P, Amengual C. A double blind randomized placebo controlled study of cholera treatment with highly diluted and succussed solutions. *Br Homoeopath J* 1994; **83**: 132–134.
- A17 Haila S, Koskinen A, Tenovuo J. Effects of homeopathic treatment on salivary flow rate and subjective symptoms in patients with oral dryness: a randomized trial. *Homeopathy* 2005; **94**: 175–181.
- A18 Jacobs J, Jimenez LM, Gloyds SS, Casares FE, Gaitan MP, Crothers D. Homeopathic treatment of acute childhood diarrhoea. A randomized clinical trial in Nicaragua. *Br Homoeopath J* 1993; **82**: 83–86.
- A19 Jacobs J, Jimenez LM, Gloyds SS, Gale JL, Crothers D. Treatment of acute childhood diarrhea with homeopathic medicine; a randomized clinical trial in Nicaragua. *Pediatrics* 1994; **93**: 719–725.
- A20 Jacobs J, Springer DA, Crothers D. Homeopathic treatment of acute otitis media in children: a preliminary randomized placebo-controlled trial. *Pediatr Infect Dis J* 2001; **20**: 177–183.
- A21 Jacobs J, Jimenez LM, Malthouse S, et al. Homeopathic treatment of acute childhood diarrhoea: results from a clinical trial in Nepal. *J Altern Complement Med* 2000; **6**: 131–139.
- A22 Jacobs J, Herman P, Heron K, Olsen S, Vaughters L. Homeopathy for menopausal symptoms in breast cancer survivors: a preliminary randomized controlled trial. *J Altern Complement Med* 2005; **11**: 21–27.
- A23 Jacobs J, Williams A-L, Girard C, Njike VY, Katz D. Homeopathy for attention-deficit/hyperactivity disorder: a pilot randomized-controlled trial. *J Altern Complement Med* 2005; **11**: 799–806.
- A24 Jansen GRHJ, van der Veer ALJ, Hagenaars J, van der Juy A. Lessons learnt from an unsuccessful clinical trial of homeopathy. Results of a small-scale, double-blind trial in proctocolitis. *Br Homoeopath J* 1992; **81**: 132–138.
- A25 Kainz JT, Kozel G, Haidvogel M, Smolle J. Homeopathic versus placebo therapy of children with warts on the hands: a randomized, double-blind clinical trial. *Dermatology* 1996; **193**: 318–320.
- A26 Katz T, Fisher P, Katz A, Davidson J, Feder G. The feasibility of a randomised, placebo-controlled clinical trial of homeopathic treatment of depression in general practice. *Homeopathy* 2005; **94**: 145–152.
- A27 Kuzeff RM. Homeopathy, sensation of well-being and CD4-levels – a placebo-controlled, randomized trial. *Complement Ther Med* 1998; **6**: 4–9.
- A28 Lökken P, Straumsheim PA, Tveiten D, Skjelbred P, Borchgrevink CF. Effect of homeopathy on pain and other events after acute trauma; placebo controlled trial with bilateral oral surgery. *Br Med J* 1995; **310**: 1439–1442.
- A29 Mousavi F, Mojaver YN, Asadzadeh M, Mirzazadeh M. Homeopathic treatment of minor aphthous ulcer: a randomized, placebo-controlled clinical trial. *Homeopathy* 2009; **98**: 137–141.
- A30 Naudé DF, Couchman IMS, Maharaj A. Chronic primary insomnia: efficacy of homeopathic simillimum. *Homeopathy* 2010; **99**: 63–68. [Published erratum: *Homeopathy* 2010; **99**: 151].
- A31 Rastogi DP, Singh VP, Singh V, Dey SK, Rao K. Homeopathy in HIV infection: a trial report of double-blind placebo controlled study. *Br Homoeopath J* 1999; **88**: 49–57.
- A32 Sajedi F, Alizad V, Alaeddini F, Fatemi R, Mazaherinezhad A. The effect of adding homeopathic treatment to rehabilitation on muscle tone of children with spastic cerebral palsy. *Complement Ther Clin Pract* 2008; **14**: 33–37.
- A33 Siebenwirth J, Lüdtke R, Remy W, Rakoski J, Borelli S, Ring J. Wirksamkeit einer klassisch-homöopathischen Therapie bei atopischem Ekzem. Eine randomisierte, placebokontrollierte Doppelblindstudie [Effectiveness of classical homeopathic treatment in atopic eczema. A randomised placebo-controlled double-blind clinical trial]. *Forsch Komplementarmed* 2009; **16**: 315–323.

Table 1 (Continued)

References

- A34 Steinsbekk A, Bentzen N, Fønnebo V, Lewith G. Self treatment with one of three self selected, ultramolecular homeopathic medicines for the prevention of upper respiratory tract infections in children. A double-blind randomized placebo controlled trial. *Br J Clin Pharmacol* 2005; **59**: 447–455.
- A35 Straumsheim P, Borchgrevink C, Mowinckel P, Kierulf H, Hafslund O. Homeopathic treatment of migraine: a double blind, placebo controlled trial of 68 patients. *Br Homoeopath J* 2000; **89**: 4–7.
- A36 Thompson EA, Montgomery A, Douglas D, Reilly D. A pilot, randomized, double-blinded, placebo-controlled trial of individualized homeopathy for symptoms of estrogen withdrawal in breast-cancer survivors. *J Altern Complement Med* 2005; **11**: 13–20.
- A37 Walach H, Häusler W, Lowes T, et al. Classical homeopathic treatment of chronic headaches. *Cephalalgia* 1997; **17**: 119–126.
- A38 Weatherley-Jones E, Nicholl JP, Thomas KJ, et al. A randomized, controlled, triple-blind trial of the efficacy of homeopathic treatment for chronic fatigue syndrome. *J Psychosom Res* 2004; **56**: 189–197.
- A39 White A, Slade P, Hunt C, Hart A, Ernst E. Individualised homeopathy as an adjunct in the treatment of childhood asthma: a randomised placebo controlled trial. *Thorax* 2003; **58**: 317–321.
- A40 Whitmarsh TE, Coleston-Shields DM, Steiner TJ. Double-blind randomized placebo-controlled study of homoeopathic prophylaxis of migraine. *Cephalalgia* 1997; **17**: 600–604.
- A41 Yakir M, Kreitler S, Brzezinski A, Vithoulkas G, Oberbaum M, Bentwich Z. Effects of homeopathic treatment in women with premenstrual syndrome: a pilot study. *Br Homoeopath J* 2001; **90**: 148–153.
- (2) Controlled by placebo: non-individualised homeopathy (n = 96)**
- A42 Aabel S. Prophylactic and acute treatment with the homeopathic medicine Betula 30c for birch pollen allergy: a double-blind, randomized, placebo-controlled study of consistency of VAS responses. *Br Homoeopath J* 2001; **90**: 73–78.
- A43 Aabel S, Laerum E, Dølvik S, Djupesland P. Is homeopathic 'immunotherapy' effective? A double-blind, placebo-controlled trial with the isopathic remedy Betula 30c for patients with birch pollen allergy. *Br Homoeopath J* 2000; **89**: 161–168.
- A44 Aabel S. No beneficial effect of isopathic prophylactic treatment for birch pollen allergy during a low-pollen season: a double-blind, placebo-controlled clinical trial of homeopathic Betula 30c. *Br Homoeopath J* 2000; **89**: 169–173.
- A45 Adkison JD, Bauer DW, Chang T. The effect of topical arnica on muscle pain. *Ann Pharmacother* 2010; **44**: 1579–1584.
- A46 Baillargeon L, Drouin J, Desjardins L, Leroux D, Audet D. Les effets de l'Arnica Montana sur la coagulation sanguine. Essai clinique randomisé [The effects of Arnica Montana on blood coagulation. Randomized controlled trial]. *Can Fam Phys* 1993; **39**: 2362–2367.
- A47 Baker DG, Myers SP, Howden I, Brooks L. The effects of homeopathic Argentum nitricum on test anxiety. *Complement Ther Med* 2003; **11**: 65–71.
- A48 Balzarini A, Felisi E, Martini A, De Conno F. Efficacy of homeopathic treatment of skin reactions during radiotherapy for breast cancer: a randomized, double-blind clinical trial. *Br Homoeopath J* 2000; **89**: 8–12.
- A49 Beer AM, Heiliger F. Caulophyllum D4 zur Geburtsinduktion bei vorzeitigem Blasensprung – eine Doppelblindstudie [Randomized, double-blind trial of Caulophyllum D4 for induction of labour after premature rupture of the membranes at term]. *Geburtshilfe Frauenheilkd* 1999; **59**: 431–435.
- A50 Belon P, Banerjee P, Choudhury SC, et al. Can administration of potentized homeopathic remedy, Arsenicum album, alter antinuclear antibody (ANA) titre in people living in high-risk arsenic contaminated areas? I. A correlation with certain hematological parameters. *Evid Based Complement Alternat Med* 2006; **3**: 99–107.
- A51 Belon P, Banerjee A, Karmakar SR, et al. Homeopathic remedy for arsenic toxicity? Evidence-based findings from a randomized placebo-controlled double blind human trial. *Sci Total Environ* 2007; **384**: 141–50.
- A52 Bergmann J, Luft B, Boehmann S, Runnebaum B, Gerhard I. Die Wirksamkeit des Komplexmittels Phyto-Hypophyson® L bei weiblicher, hormonell bedingter Sterilität. Eine randomisierte, plazebokontrollierte, klinische Doppelblindstudie [The efficacy of the complex medication Phyto-Hypophyson L in female, hormone-related sterility. A randomized, placebo-controlled clinical double-blind study]. *Forsch Komplementarmed* 2000; **7**: 190–199.
- A53 Bernstein S, Donsky H, Gulliver W, Hamilton D, Nobel S, Norman R. Treatment of mild to moderate psoriasis with Reliéva, a Mahonia aquifolium extract – a double-blind, placebo-controlled study. *Am J Therapeut* 2006; **13**: 121–126.
- A54 Bernstein JA, Davis BP, Picard JK, Cooper JP, Zheng S, Levin LS. A randomized, double-blind, parallel trial comparing capsaicin nasal spray with placebo in subjects with a significant component of nonallergic rhinitis. *Ann Allergy Asthma Immunol* 2011; **107**: 171–178.
- A55 Berrebi A, Parant O, Ferval F, et al. Traitement de la douleur de la montée laiteuse non souhaitée par homéopathie dans le postpartum immédiat [Treatment of pain due to unwanted lactation with a homeopathic preparation given in the immediate post-partum period]. *J Gynecol Obst Bio R* 2001; **30**: 353–357.
- A56 Bignamini M, Bertoli A, Consolandi AM, et al. Controlled double-blind trial with Baryta carbonica 15CH versus placebo in a group of hypertensive subjects confined to bed in two old people's homes. *Br Homoeopath J* 1987; **76**: 114–119.
- A57 Brinkhaus B, Wilkens JM, Lüdtkke R, Hunger J, Witt CM, Willich SN. Homeopathic arnica therapy in patients receiving knee surgery: results of three randomised double-blind trials. *Complement Ther Med* 2006; **14**: 237–246.
- A58 Brydak LB, Denys A. The evaluation of humoral response and the clinical evaluation of a risk-group patients' state of health after administration of the homeopathic preparation Gripp-Heel during the influenza epidemic season 1993/94. *Int Rev Allergol Clin Immunol* 1999; **5**: 223–227.
- A59 Cialdella P, Boissel JP, Belon P. Spécialités homéopathiques en substitution de benzodiazépines: étude en double-insu vs. placebo [Complex homeopathic medicines as substitutes for benzodiazepines: double-blind study vs. placebo]. *Thérapie* 2001; **56**: 397–402.
- A60 Clark J, Percivall A. A preliminary investigation into the effectiveness of the homeopathic remedy, Ruta graveolens, in the treatment of pain in plantar fasciitis. *Br J Podiat* 2000; **3**: 81–85.
- A61 Cornu C, Joseph P, Gaillard S, et al. No effect of a homeopathic combination of Arnica montana and Bryonia alba on bleeding, inflammation, and ischaemia after aortic valve surgery. *Br J Clin Pharmacol* 2010; **69**: 136–142.
- A62 Diefenbach M, Schilken J, Steiner G, Becker HJ. Homöopathische Therapie bei Erkrankungen der Atemwege. Auswertung einer klinischen Studie bei 258 Patienten [Homeopathic therapy in respiratory tract diseases. Evaluation of a clinical study in 258 patients]. *Z Allgemeinmed* 1997; **73**: 308–314.
- A63 Ernst E, Saradeth T, Resch KL. Complementary therapy of varicose veins – a randomized, placebo-controlled, double-blind trial. *Phlebology* 1990; **5**: 157–163.

(Continued on next page)

Table 1 (Continued)

References

- A64 Ferley JP, Zmirou D, D'Adhemar D, Balducci F. A controlled evaluation of a homeopathic preparation in the treatment of influenza like syndromes. *Br J Clin Pharmacol* 1989; **27**: 329–335.
- A65 Ferrara P, Marrone G, Emmanuele V, et al. Homotoxicological remedies versus desmopressin versus placebo in the treatment of enuresis: a randomised, double-blind, controlled trial. *Pediatr Nephrol* 2008; **23**: 269–74 [Epub 2007 Feb 20].
- A66 Fisher P, Greenwood A, Huskisson EC, Turner B, Belon P. Effect of homeopathic treatment on fibrositis (primary fibromyalgia). *Br Med J* 1989; **299**: 365–366.
- A67 Frass M, Dielacher C, Linkesch M, et al. Influence of potassium dichromate on tracheal secretions in critically ill patients. *Chest* 2005; **127**: 936–941.
- A68 Freitas LAS, Goldenstein E, Sanna OM. A relação médico-paciente indireta e o tratamento homeopático na asma infantil [The indirect patient–doctor relationship and the homeopathic treatment of childhood asthma]. *Rev Homeopatia* 1995; **60**: 26–31.
- A69 Friese K-H, Zabalotnyi DI. Homöopathie bei akuter Rhinosinusitis. Eine doppelblinde, placebokontrollierte Studie belegt die Wirksamkeit und Verträglichkeit eines homöopathischen Kombinations-arzneimittels [Homeopathy in acute rhinosinusitis. A double-blind, placebo controlled study shows the efficiency and tolerability of a homeopathic combination remedy]. *HNO* 2007; **55**: 271–277.
- A70 Friese K-H, Feuchter U, Möller H. Die homöopathische Behandlung von adenoiden Vegetationen [Homeopathic treatment of adenoid vegetations. Results of a prospective, randomized double-blind study]. *HNO* 1997; **45**: 618–624.
- A71 Furuta SE, Weckx LLM, Figueiredo CR. Estudo clínico, randomizado, duplocego, em crianças com adenóide obstrutiva, submetidas a tratamento homeopático [Prospective, randomized, double-blind clinical trial about efficacy of homeopathic treatment in children with obstructive adenoid]. *Rev Bras Otorrinolaringol* 2003; **69**: 343–347.
- A72 Furuta SE, Weckx LLM, Figueiredo CR. Tratamento Homeopático da amigdalite recorrente em crianças: um estudo randomizado controlado [Homeopathic treatment of recurrent tonsillitis in children: a randomized controlled trial]. *Rev Homeopatia* 2007; **70**: 21–26.
- A73 Garrett B, Harrison PV, Stewart T, Porter I. A trial of homeopathic treatment of leg ulcers. *J Dermatol Treat* 1997; **8**: 115–117.
- A74 Gerhard I, Pateck A, Monga B, Blank A, Gorkow C. Mastodynon bei weiblicher Sterilität. Randomisierte, placebokontrollierte, klinische doppelblindstudie. [Mastodynon for female infertility. Randomised, placebo controlled, clinical double-blind study]. *Forsch Komplementarmed* 1998; **5**: 272–278.
- A75 GRECHO (Groupe de Recherches et d'Essais Cliniques en Homéopathie), U292 INSERM, ARC (Association de Recherche en Chirurgie), GREPA (Groupe de Recherche et d'Étude de la Paroi Abdominal). Evaluation de deux produits homéopathiques sur la reprise du transit après chirurgie digestive – Un essai contrôlé multicentrique [Evaluation of the effects of two homeopathic preparations on the resumption of intestinal peristalsis after digestive tract surgery – a multicentre controlled trial]. *Presse Méd* 1989; **18**: 59–62.
- A76 Hart O, Mullee MA, Lewith G, Miller J. Double-blind, placebo-controlled, randomized clinical trial of homeopathic arnica C30 for pain and infection after total abdominal hysterectomy. *J R Soc Med* 1997; **90**: 73–78.
- A77 Heusser P, Berger S, Stutz M, Hüsler A, Haerberli A, Wolf U. Efficacy of homeopathically potentized antimony on blood coagulation. A randomized placebo controlled crossover trial. *Forsch Komplementarmed* 2009; **16**: 14–18.
- A78 Hitzemberger G, Rehak PH. Zur Wirkung eines homöopathischen Fertigarzneimittels auf den Blutdruck von Hypertonikern: Eine randomisierte doppelblinde kontrollierte Parallelgruppen-Vergleichsstudie [The effect of a homeopathic drug on the blood pressure of hypertensive patients: a randomized double-blind, controlled, parallel-group, comparative trial]. *Wien Med Wochenschr* 2005; **155**: 392–396.
- A79 Hofmeyr GJ, Piccioni V, Blauhof P. Postpartum homeopathic Arnica montana: a potency-finding pilot study. *Br J Clin Pract* 1990; **44**: 619–621.
- A80 Jacobs J, Guthrie BL, Montes GA, et al. Homeopathic combination remedy in the treatment of acute childhood diarrhea in Honduras. *J Altern Complement Med* 2006; **12**: 723–732.
- A81 Jacobs J, Fernandez EA, Merizalde B, Avila-Montes GA, Crothers D. The use of homeopathic combination remedy for dengue fever symptoms: a pilot RCT in Honduras. *Homeopathy* 2007; **96**: 22–26.
- A82 Jawara N, Lewith G, Mullee M, Smith C. Homeopathic Arnica and Rhus Toxicodendron for delayed onset muscle soreness: a randomized, double-blind, placebo-controlled trial. *Br Homeopath J* 1997; **86**: 10–15.
- A83 Kaziro GS. Metronidazole (Flagyl) and Arnica montana in the prevention of post-surgical complications, a comparative placebo controlled clinical trial. *Br J Oral Maxillofac Surg* 1984; **22**: 42–49.
- A84 Khuda-Bukhsh AR, Pathak S, Guha B, et al. Can homeopathic arsenic remedy combat arsenic poisoning in humans exposed to groundwater arsenic contamination? A preliminary report on first human trial. *Evid Based Complement Alternat Med* 2005; **2**: 537–548.
- A85 Khuda-Bukhsh AR, Banerjee A, Biswas SJ, et al. An initial report on the efficacy of a millesimal potency Arsenicum Album LM 0/3 in ameliorating arsenic toxicity in humans living in a high-risk arsenic village. *J Chin Integr Med/Zhong Xi Yi Jie He Xue Bao* 2011a; **9**: 596–604.
- A86 Kim LS, Riedlinger JE, Baldwin CM, et al. Treatment of seasonal allergic rhinitis using homeopathic preparation of common allergens in the southwest region of the US: a randomized, controlled clinical trial. *Ann Pharmacother* 2005; **39**: 617–624.
- A87 Kneis KC, Gandjour A. Economic evaluation of Sinfrontal[®] in the treatment of acute maxillary sinusitis in adults. *Appl Health Econ Health Pol* 2009; **7**: 181–191.
- A88 Kolia-Adam N, Solomon E, Bond J, Deroukakis M. The efficacy of Coffea cruda on insomnia: a double blind trial. *Simillimum* 2008; **21**: 91–99.
- A89 Kottus BS, Heringer DM, Dryden RM. Evaluation of homeopathic arnica montana for ecchymosis after upper blepharoplasty: a placebo-controlled, randomized, double-blind study. *Ophthal Plast Reconstr Surg* 2010; **26**: 395–397.
- A90 La Pine MP, Malcomson FN, Torrance JM, Marsh NV. Night shift: can a homeopathic remedy alleviate shift lag? *Dimens Crit Care Nurs* 2006; **25**: 130–136.
- A91 Labrecque M, Audet D, Latulippe LG, Drouin J. Homeopathic treatment of plantar warts. *Can Med Assoc J* 1992; **146**: 1749–1753.
- A92 Leaman AM, Gorman D. Cantharis in the early treatment of minor burns. *Arch Emerg Med* 1989; **6**: 259–261.
- A93 Lewith G, Watkins AD, Hyland ME. Use of ultramolecular potencies of allergen to treat asthmatic people allergic to house dust mite: double blind randomized controlled clinical trial. *Br Med J* 2002; **324**: 520–523.
- A94 Lipman D, Sexton G, Schlessner J. A randomized double-blind placebo-controlled evaluation of the safety and efficacy of a natural over-the-counter (OTC) medication in the management of snoring. *Sleep Breath* 1999; **3**: 53–56.

Table 1 (Continued)

References

- A95 McCutcheon LE. Treatment of anxiety with a homeopathic remedy. *J Appl Nut* 1996; **48**: 2–6.
- A96 Meissner K, Ziep D. Organ-specificity of placebo effects on blood pressure. *Autonom Neurosci* 2011, **164**: 62–66.
- A97 Merklinger S, Messemer C, Niederle S. Ekzembhandlung mit *cardiospermum halicacabum*: *Cardiospermum*-Salbe und Salbengrundlage im Halbseitenvergleich – eine kontrollierte Studie [Treatment of eczema with *Cardiospermum halicacabum*: *Cardiospermum* ointment and the ointment vehicle – a controlled study]. *Z Phytother* 1995; **16**: 263–266.
- A98 Mokkaipatti R. An experimental double-blind study to evaluate the use of *Euphrasia* in preventing conjunctivitis. *Br Homoeopath J* 1992; **81**: 22–24.
- A99 Mousavi F, Sherafati S, Mojaver YN. *Ignatia* in the treatment of oral lichen planus. *Homeopathy* 2009; **98**: 40–44.
- A100 Oberbaum M, Yaniv I, Ben-Gal Y, et al. A randomized, controlled clinical trial of the homeopathic medication *Traumeel S* in the treatment of chemotherapy-induced stomatitis in children undergoing stem cell transplantation. *Cancer* 2001; **92**: 684–690.
- A101 Oberbaum M, Galoyan N, Lerner-Geva L, et al. The effect of the homeopathic remedies *Arnica* and *Belli rennis* on mild postpartum bleeding – a randomized, double-blind, placebo-controlled study – preliminary results. *Complement Ther Med* 2005; **13**: 87–90.
- A102 Pach D, Brinkhaus B, Roll S, et al. Efficacy of injections with *Disci/Rhus toxicodendron compositum* for chronic low back pain – a randomized placebo-controlled trial. *PLoS One* 2011; **6**: e26166 [Epub 2011 Nov 8].
- A103 Padilha RQ, Riera R, Atallah AN. Homeopathic *Plumbum metallicum* for lead poisoning: a randomized clinical trial. *Homeopathy* 2011 Jul; **100**(3): 116–121.
- A104 Papp R, Schuback G, Beck E, et al. *Oscillocoquinum*® in patients with influenza-like syndromes: a placebo-controlled double-blind evaluation. *Br Homoeopath J* 1998; **87**: 69–76.
- A105 Paris A, Gonnet N, Chaussard C, et al. Effect of homeopathy on analgesic intake following knee ligament reconstruction: a phase III monocentre randomized placebo controlled study. *Br J Clin Pharmacol* 2008; **65**: 180–187.
- A106 Paris A, Schmidlin S, Mouret S, et al. Effect of *Gelsemium 5CH* and *15CH* on anticipatory anxiety: a phase III, single-centre, randomized, placebo-controlled study. *Fund Clin Pharmacol* 2011; **25**: 42.
- A107 Plezbert JA, Burke JR. Effects of the homeopathic remedy *Arnica* on attenuating symptoms of exercise-induced muscle soreness. *J Chiropract Med* 2005; **4**: 152–161.
- A108 Rahlfs VW, Mössinger P. Zur Behandlung des Colon irritabile: Ein multizentrischer plazebo-kontrollierter Doppelblindversuch in der Allgemeinen Praxis [Treatment of irritable colon: a multicenter placebo-controlled double-blind study in general practice]. *Arzneimittel Forsch* 1976; **26**: 2230–2234.
- A109 Rahlfs VW, Mössinger P. *Asa foetida* bei Colon irritabile – Doppelblindversuch [Asa foetida in the treatment of the irritable colon – a double-blind trial]. *Deut Med Wochenschr* 1978; **104**: 140–143.
- A110 Ramelet AA, Buchheim G, Lorenz P, Imfeld M. Homeopathic *Arnica* in postoperative haematomas: a double-blind study. *Dermatology* 2000; **201**: 347–348.
- A111 Reilly DT, Taylor MA, McSharry C, Aitchison T. Is homeopathy a placebo response? Controlled trial of homeopathic potency, with pollen in hayfever as model. *Lancet* 1986; **ii**: 881–885.
- A112 Reilly D, Taylor MA, Beattie NGM, et al. Is evidence for homeopathy reproducible? *Lancet* 1994; **344**: 1601–1606.
- A113 Robertson A, Suryanarayanan R, Banerjee A. Homeopathic *Arnica montana* for post-tonsillectomy analgesia: a randomised placebo control trial. *Homeopathy* 2007; **96**: 17–21.
- A114 Saruggia M, Corghi E. Effects of homeopathic dilutions of *china rubra* on intradialytic symptomatology in patients treated with chronic haemodialysis. *Br Homoeopath J* 1992; **81**: 86–88.
- A115 Schirmer K-P, Fritz M, Jäckel WH. Wirksamkeit von *Formica rufa* und Eigenblut-Injektionen bei Patienten mit ankylosierender Spondylitis: eine doppelblinde, randomisierte Studie [Efficacy of *Formica rufa* and reinjection of patient's own blood on patients with ankylosing spondylitis: a double-blind, randomized study]. *Z Rheumatol* 2000; **59**: 321–329.
- A116 Schmidt JM, Ostermayr B. Does a homeopathic ultramolecular dilution of *Thyroidinum 30cH* affect the rate of body weight reduction in fasting patients? A randomized placebo-controlled double-blind clinical trial. *Homeopathy* 2002; **91**: 197–206.
- A117 Seeley BM, Denton AB, Ahn MS, Maas CS. Effect of homeopathic *Arnica montana* on bruising in face-lifts: results of a randomized, double-blind, placebo-controlled clinical trial. *Arch Facial Plast Surg* 2006; **8**: 54–59.
- A118 Shipley M, Berry H, Broster G, Jenkins M, Clover A, Williams I. Controlled trial of homeopathic treatment of osteoarthritis. *Lancet* 1983; **i**: 97–98.
- A119 Simpson JJ, Donaldson I, Davies WE. Use of homeopathy in the treatment of tinnitus. *Br J Audiol* 1998; **32**: 227–233.
- A120 Singer SR, Amit-Kohn M, Weiss S, et al. *Traumeel S* for pain relief following hallux valgus surgery: a randomized controlled trial. *BMC Clin Pharmacol* 2010; **10**: 9.
- A121 Smith SA, Baker AE, Williams JH. Effective treatment of seborrhoeic dermatitis using a low dose, oral homeopathic medication consisting of potassium bromide, sodium bromide, nickel sulfate, and sodium chloride in a double-blind, placebo-controlled study. *Altern Med Rev* 2002; **7**: 59–67.
- A122 Stevinson C, Devaraj VS, Fountain-Barber A, Hawkins S, Ernst E. Homeopathic *arnica* for prevention of pain and bruising: randomized placebo-controlled trial in hand surgery. *J R Soc Med* 2003; **96**: 60–65.
- A123 Taylor MA, Reilly D, Llewellyn-Jones RH, McSharry C, Aitchison TC. Randomised controlled trial of homeopathy versus placebo in perennial allergic rhinitis with overview of four trial series. *Br Med J* 2000; **321**: 471–476.
- A124 Tuten C, McLung J. Reducing muscle soreness with *Arnica montana*. *Altern Complement Ther* 1999; **5**: 369–372.
- A125 Tveiten D, Bruseth S, Borchgrevink CF, Löhne K. Effekt av *Arnica D 30* ved hard fysisk anstrengelse. En dobbeltblind randomisert undersøkelse under Oslo maraton 1990 [Effect of *Arnica D30* on hard physical exertion. A double-blind randomized trial during the 1990 Oslo Marathon]. *Tidsskr Nor Laegeforen* 1991; **111**: 3630–3631.
- A126 Tveiten D, Bruseth S, Borchgrevink CF, Norseth J. Effects of the homeopathic remedy *Arnica D30* on marathon runners: a randomized, double-blind study during the 1995 Oslo Marathon. *Complement Ther Med* 1998; **6**: 71–74.
- A127 Vickers AJ, Fisher P, Smith C, Wyllie SE, Lewith GT. Homeopathy for delayed onset muscle soreness: a randomized double blind placebo controlled trial. *Br J Sports Med* 1997; **31**: 304–307.
- A128 Vickers AJ, Fisher P, Smith C, Wyllie SE, Rees R. Homeopathic *Arnica 30X* is ineffective for muscle soreness after long-distance running: a randomized, double-blind, placebo-controlled trial. *Clin J Pain* 1998; **14**: 227–231.
- A129 von Hagens C, Schiller P, Godbillon B, et al. Treating menopausal symptoms with a complex remedy or placebo: a randomized controlled trial. *Climacteric* 2011 [Epub ahead of print].

(Continued on next page)

Table 1 (Continued)

References

- A130 Weiser M, Clasen B. Randomisierte plazebokontrollierte Doppelblindstudie zur Untersuchung der klinische Wirksamkeit der homöopathischen Euphorbium compositum-Nasentropfen S bei chronischer Sinusitis [Randomized, placebo-controlled, double-blind study of the clinical efficacy of the homeopathic Euphorbium compositum-S nasal spray in cases of chronic sinusitis]. *Forsch Komplementarmed* 1994; **1**: 251–259.
- A131 Wiesenauer M, Gaus W. Double-blind trial comparing the effectiveness of the homeopathic preparation Galphimia potentization D6, Galphimia dilution 10⁻⁶ and placebo on pollinosis. *Arzneimittel Forsch* 1985; **35**: 1745–1747.
- A132 Wiesenauer M, Gaus W, Bohnacker U, Häussler S. Wirksamkeitsprüfung von homöopathische Kombinationspräparaten bei Sinusitis. Ergebnisse einer randomisierten Doppelblindstudie unter Praxisbedingungen [Efficiency of homeopathic preparation combinations in sinusitis. Results of a randomized double blind study with general practitioners]. *Arzneimittel Forsch* 1989; **39**: 620–625.
- A133 Wiesenauer M, Gaus W, Häussler S. Behandlung der Pollinosis mit Galphimia glauca. Eine Doppelblindstudie unter Praxisbedingungen [Treatment of pollinosis with the homeopathic preparation Galphimia glauca. A double-blind trial in clinical practice]. *Allergologie* 1990; **13**: 359–363.
- A134 Wiesenauer M, Gaus W. Wirksamkeitsnachweis eines Homöopathikums bei chronischer Polyarthrit. Eine randomisierte Doppelblindstudie bei nieder-gelassenen Ärzten [A randomized double-blind trial on the efficacy of a homeopathic drug for rheumatoid arthritis]. *Aktuel Rheumatol* 1991; **16**: 1–21.
- A135 Wiesenauer M, Lüdtkke R. The treatment of pollinosis with Galphimia glauca D4 – a randomized placebo-controlled double-blind clinical trial. *Phytomedicine* 1995; **2**: 3–6.
- A136 Wolf M, Tamaschke C, Mayer W, Heger M. Wirksamkeit von Arnica bei Varizenoperation: Ergebnisse einer randomisierten, doppelblinden, Placebo-kontrollierten Pilot-Studie [Efficacy of Arnica in varicose vein surgery: results of a randomized, double-blind, placebo-controlled pilot study]. *Forsch Komplementarmed* 2003; **10**: 242–247.
- A137 Zabolotnyi DI, Kneis KC, Richardson A, et al. Efficacy of a complex homeopathic medication (Sinfrontal) in patients with acute maxillary sinusitis: a prospective, randomized, double-blind, placebo-controlled, multicenter clinical trial. *Explore (NY)* 2007; **3**: 98–109.

(3) Controlled by OTP: individualised homeopathy (n = 12)

- A138 Adler UC, Paiva NM, Cesar AT, et al. Homeopathic individualized Q-potencies versus fluoxetine for moderate to severe depression: double-blind, randomized non-inferiority trial. *Evid Based Complement Alternat Med*: eCAM [Epub ahead of print]. [Finally published as: Calil HM, Adler UC, Paiva NM, et al. (2011). *Evid Based Complement Alternat Med* 2009: art. no. 520182].
- A139 Gerhard I, Monga B, Roebuck P, Runnebaum B. Homeopathy versus conventional therapy in female infertility: interim analysis of a randomized study. *Forsch Komplementarmed* 1997; **5**: 262–269.
- A140 Gmünder R, Kissling R. The efficacy of homeopathy in the treatment of chronic low back pain compared to standardized physiotherapy. *Z Orthop Grenzgeb* 2002; **140**: 503–508.
- A141 Harrison H, Fixsen A, Vickers A. A randomized comparison of homeopathic and standard care for the treatment of glue ear in children. *Complement Ther Med* 1999; **7**: 132–135.
- A142 Hitzenberger G, Korn A, Dorcsi M, Bauer P, Wohlzogen FX. Kontrollierte randomisierte doppelblinde Studie zum Vergleich einer Behandlung von Patienten mit essentieller Hypertonie mit homöopathischen und pharmakologisch wirksamen Medikamenten [A controlled randomized double-blind cross-over study of the effects of antihypertensive pharmacotherapy and homeopathy in patients with essential hypertension]. *Wien Klin Wochenschr* 1982; **94**: 665–670.
- A143 Paterson C, Ewings P, Brazier JE, Britten N. Treating dyspepsia with acupuncture and homeopathy: reflections on a pilot study by researchers, practitioners and participants. *Complement Ther Med* 2003; **11**: 78–84.
- A144 Reiton C, Smith C, Raw J, et al. Healthcare provided by a homeopath as an adjunct to usual care for fibromyalgia (FMS): results of a pilot randomised controlled trial. *Homeopathy* 2009; **98**: 77–82.
- A145 Schreier T, Hartmann M, Petzoldt D, et al. Homöopathie versus konventionelle Therapie bei männlicher Unfruchtbarkeit – Zwischenbericht einer randomisierten Studie [Homoeopathy versus conventional treatment in male infertility – interim report of a randomized study]. *Forsch Komplementarmed* 1997; **4**: 325–331.
- A146 Steinsbekk A, Fønnebø V, Lewith G, Bentzen N. Homeopathic care for the prevention of upper respiratory tract infections in children: a pragmatic, randomized, controlled trial comparing randomized homeopathic care and waiting-list controls. *Complement Ther Med* 2005; **13**: 231–238.
- A147 Thompson EA, Shaw A, Nichol J, et al. The feasibility of a pragmatic randomised controlled trial to compare usual care with usual care plus individualised homeopathy, in children requiring secondary care for asthma. *Homeopathy* 2011; **100**: 122–130.
- A148 van Erp VMA, Brands M. Homeopathic treatment of malaria in Ghana: open study and clinical trial. *Br Homoeopath J* 1996; **85**: 66–70.
- A149 Witt A, Kaufmann U, Bitschnau M, et al. Monthly itraconazole versus classic homeopathy for the treatment of recurrent vulvovaginal candidiasis: a randomised trial. *BJOG: Int J Obstet Gynaecol* 2009; **116**: 1499–1505.

(4) Controlled by OTP: non-individualised homeopathy (n = 15)

- A150 Gassinger CA, Wünstel G, Netter P. Klinische Prüfung zum Nachweis der therapeutischen Wirksamkeit des homöopathischen Arzneimittels Eupatorium perfoliatum D2 (Wasserhanf composite) bei der Diagnose Grippaler Infekt [A controlled clinical trial for testing the efficacy of the homeopathic drug Eupatorium perfoliatum D2 in the treatment of common cold]. *Arzneimittel Forsch* 1981; **31**: 732–736.
- A151 Issing W, Klein P, Weiser M. The homeopathic preparation Vertigoheel versus Ginkgo biloba in the treatment of vertigo in an elderly population: a double-blinded, randomized, controlled clinical trial. *J Altern Complement Med* 2005; **11**: 155–160.
- A152 Jobst D, Altiner A, Wegscheider K, Abholz H-H. Helfen intramuskuläre Eigenblutgaben bei chronisch rezidivierenden Infekten der Atemwege? – Fußangeln auf dem Weg einer randomisierten Studie [Do autologous blood injections help against relapsing upper respiratory infections? – traps on the way of doing a randomised trial]. *Z Allgemeinmed* 2005; **81**: 258–263.
- A153 Karow J-H, Abt H-P, Fröhling M, Ackermann H. Efficacy of Arnica montana D4 for healing of wounds after Hallux valgus surgery compared to diclofenac. *J Altern Complement Med* 2008; **14**: 17–25.
- A154 Kienle G. Wirkung von Carbo Betulae D6 bei respiratorischer Partialinsuffizienz [Effect of Carbo betulae D6 in partial respiratory insufficiency]. *Arzneimittel Forsch* 1973; **23**: 840–842.

Table 1 (Continued)

References

- A155 Maiwald VL, Weinfurter T, Mau J, Connert WD. Therapie des grippalen Infekts mit einem homöopathischen Kombinationspräparat im Vergleich zu Acetylsalicylsäure. Kontrollierte, randomisierte Einfachblindstudie [Treatment of common cold with a combination homeopathic preparation compared with acetylsalicylic acid. A controlled, randomized single-blind study]. *Arzneimittel Forsch* 1988; **38**: 578–582.
- A156 Shealy CN, Thomlinson RP, Cox RH, Borgmeyer RN. Osteoarthritic pain: a comparison of homeopathy and acetaminophen. *Am J Pain Manage* 1998; **8**: 89–91.
- A157 Stam C, Bonnet MS, van Haselen RA. The efficacy and safety of a homeopathic gel in the treatment of acute low back pain: a multi-centre, randomized, double-blind comparative clinical trial. *Br Homoeopath J* 2001; **90**: 21–28.
- A158 Stoffel L, Zimmermann D, Hunkeler R, et al. Euphrasia-Augentropfen bei Neugeborenen: Ein Pilotprojekt [Euphrasia eye drops in neonates: a pilot project]. *Schweiz Z Ganzheitsmed* 2007; **19**: 254–259.
- A159 Taylor JA, Jacobs J. Homeopathic ear drops as an adjunct to standard therapy in children with acute otitis media. *Homeopathy* 2011; **100**: 109–115.
- A160 Totonchi A, Guyuron B. A randomized, controlled comparison between arnica and steroids in the management of post-rhinoplasty ecchymosis and edema. *Plast Reconstr Surg* 2007; **120**: 271–274.
- A161 van Haselen RA, Fisher PAG. A randomized controlled trial comparing topical piroxicam gel with a homeopathic gel in osteoarthritis of the knee. *Rheumatology* 2000; **39**: 714–719.
- A162 Weiser M, Strösser W, Klein P. Homeopathic vs. conventional treatment of vertigo: a randomized double-blind controlled clinical study. *Arch Otolaryngol Head Neck Surg* 1998; **124**: 879–885.
- A163 Weiser M, Gegenheimer LH, Klein P. A randomized equivalence trial comparing the efficacy and safety of Luffa comp.-Heel nasal spray with cromolyn sodium spray in the treatment of seasonal allergic rhinitis. *Forsch Komplementarmed* 1999; **6**: 142–148.
- A164 Wiesenauer M, Gaus W. Orthostatische Dysregulation. Kontrollierter Wirkungsvergleich zwischen Etilerfrin 5 mg und dem homöopathischen Arzneimittel Haplopappus D2 [Orthostatic dysregulation. Controlled equivalence trial with Etilerfrin 5 mg vs. the homeopathic medicine Haplopappus D2]. *Z Allgemeinmed* 1987; **63**: 18–23.

(b) NPR (n = 99)

(1) Controlled by placebo: individualised homeopathy (n = 13)

- A165 Awdry R. Homeopathy and chronic fatigue – the search for proof. *Int J Altern Complement Med* 1996; **14**: 19–22.
- A166 Benzécri JP, Maiti GD, Belon P, Questel R. Comparaison entre quatre méthodes de sevrage après une thérapeutique anxiolytique [Comparison of four methods of weaning after a therapeutic anxiolytic]. *Cahiers Anal Données* 1991; **16**: 389–402.
- A167 Brigo B, Serpelloni G. Homeopathic treatment of migraines: a randomized double-blind study of sixty cases (homeopathic remedy versus placebo). *Berlin J Res Homeopathy* 1991; **1**: 98–106.
- A168 Campistrou-Lavaut JL, Riveron-Garrote M, Fernandez-Arguelles R, Rodriguez FM, Guajardo G. Estudio controlado y aleatorizado del manejo de la hipertension arterial con homeopatía [Controlled study of the management of arterial hypertension with homeopathy]. *Bol Mex Hom* 1999; **32**: 42–47.
- A169 Chapman EH, Angelica J, Spitalny G, Strauss M. Results of a study of the homeopathic treatment of PMS. *J Am Inst Homeopath* 1994; **87**: 14–21.
- A170 Fisher P. An experimental double-blind clinical trial method in homeopathy. Use of a limited range of remedies to treat fibrositis. *Br Homoeopath J* 1986; **75**: 142–147.
- A171 Gaus W. Biometrische Aspekte der Münchener Kopfschmerzstudie [Biometric aspects of the Munich headache study]. *Allgem Homöopath Zeit* 1997; **242**: 245–249.
- A172 Grover A, Bhushan B, Goel R. Double blind placebo controlled trial of homeopathic medicines in the management of withdrawal symptoms in opium addicts and its alkaloid derivatives-dependents. *Indian J Res Homoeopathy* 2009; **3**(1): 41–44.
- A173 Ledermann EK. Homeopathy tested against controls in cases of surgical tuberculosis. *Br Homoeopath J* 1954; **44**: 83–88.
- A174 Riveron-Garrote M, Arguelles-Fernandez R, Moron-Rodriguez F, Campistrou-Labaut JL. Ensayo clinico controlado aleatorizado del tratamiento homeopatico del asma bronquial [Controlled and randomized clinical trial of homeopathic treatment on bronchial asthma]. *Bol Mex Hom* 1998; **31**: 54–61.
- A175 Solanki M, Gandhi PM. Is homeopathy only a placebo therapy? *Homeopathic Heritage* 1995; **20**: 707–713.
- A176 Strauss LC. The efficacy of a homeopathic preparation in the management of attention deficit hyperactivity disorder. *Biomed Ther* 2000; **18**: 197–201.
- A177 Sutherland M. Report on the controlled trial. Homeopathy in surgical tuberculosis. *Br Homoeopath J* 1954; **44**: 88–96.

(2) Controlled by placebo: non-individualised homeopathy (n = 67)

- A178 Albertini H, Goldberg W, Sanguy BB, Toulza C. Bilan de 60 observations randomisées. Hypericum-Arnica contre placebo dans les névralgies dentaires [Summary of 60 randomized observations. Hypericum-Arnica versus placebo in dental neuralgia]. *Homéopathie* 1984; **1**: 47–49.
- A179 Alibeu JP, Jobert J. Aconit en dilution homéopathique et agitation postopératoire de l'enfant [Homeopathic therapy with Aconite for post-operative pain-agitation syndrome]. *Pédiatrie* 1990; **45**: 465–466.
- A180 Aulagnier G. Action d'un traitement homéopathique sur la reprise du transit post opératoire [Action of homeopathic treatment on the resumption of postoperative transit]. *Homéopathie* 1985; **2**: 42–45.
- A181 Bekkering GM, van den Bosch W, van den Hoogen H. Bedriegt schone schijn? Een onderzoek om de gerapporteerde werking van een homeopathisch middel te objectiveren [Aren't all appearances deceptive? An analysis for objectification of the reported effectiveness of a homeopathic drug]. *Huisarts Wetensch* 1993; **36**: 414–415.
- A182 Böhmer D, Ambrus P. Behandlung von Sportverletzungen mit Traumeel-Salbe – Kontrollierte Doppelblindstudie [Treatment of sports injuries with Traumeel ointment – controlled double blind study]. *Biol Med* 1992; **21**: 260–268.
- A183 Bordes LR, Dorfman P. Evaluation de l'activité antitussive du sirop Drosetux: étude en double aveugle versus placebo [Evaluation of the antitussive effect of Drosetux syrup: double-blind study versus placebo]. *Cahiers Oto-rhino-laryngol* 1986; **21**: 731–734.
- A184 Bornoroni C. Diatesi linfatico-essudativa in trattamento con Revitorgan 29f + K [Treatment of lymph-exudative diathesis with Revitorgan 29f + K]. *Tec Med Assoc* 1997; **11**: 3–9.
- A185 Campbell A. Two pilot controlled trials of Arnica montana. *Br Homoeopath J* 1976; **65**: 154–158.

(Continued on next page)

Table 1 (Continued)

References

- A186 Chakraborty D, Chakraborty T, Das S, Sengupta J. A randomized double blind clinical trial of a homeopathic medicine in the treatment of trophic ulcer and neuropathy in leprosy. *Indian J Res Homoeopathy* 2009; **3**(4): 54–65.
- A187 Chirila M. Traitement homéopathique de la pollinose [Homeopathic treatment of pollinosis]. *Homéopathie* 1984; **6**: 35–36.
- A188 Davies AE. Clinical investigations into the actions of potencies. *Br Homoeopath J* 1971; **60**: 36–41.
- A189 Dexpert M. Prévention des naupathies par Cocculine® [Prevention of seasickness by Cocculine®]. *Hom Franc* 1987; **75**: 353–55.
- A190 Dorfman P, Tétau M. Homéopathie et pathologie du sportif. Deux exemples de double aveugle: Marathon de New York et haltérophile [Homeopathy and sports pathology. Two double-blind examples: New York marathon and weightlifting]. *Cah Biothér* 1985; **86**(Suppl.): 77–81.
- A191 Dorfman P, Lasserre MN, Tétau M. Préparation à l'accouchement par homeopathie – experimentation en double insu versus placebo [Preparation for childbirth by homeopathy – double blind experiment versus placebo]. *Cah Biothér* 1987; **94**: 77–81.
- A192 Dorfman P, Amodéo C, Riccioti F, Tétau M, Véroux G. Evaluation de l'activité d'arnica 5CH sur les troubles veineux après perfusion prolongée [Evaluation of the activity of Arnica 5CH on venous disorders after prolonged infusion]. *Cah Biothér* 1988; **98**(Suppl.): 77–82.
- A193 Dorfman P, Amodéo C, Riccioti F, Tétau M, Veroux G. Iléus post-opératoire et homéopathie: bilan d'une évaluation clinique [Postoperative ileus and homeopathy: results of a clinical evaluation]. *Cah Biothér* 1992; **114**: 33–39.
- A194 Ferley JP, Poutignat N, Azzopardi Y, Charrel M, Zmirou D. Evaluation en médecine ambulatoire de l'activité d'un complexe homéopathique dans la prevention de la grippe et des syndromes grippaux [Evaluation in ambulatory medicine of the effect of a homeopathic complex remedy in the prevention of flu and flu-like syndromes]. *Immunol Méd* 1987; **20**: 22–28.
- A195 Guillemain J, Jessenne M-G, Pariente J, Renaud D, Alleaume B, Tétau M. Homéopathie, tentative d'essai clinique en double aveugle dans une épreuve sportive: le Paris-Dakar [Homeopathy: attempted double-blind clinical trial in a sporting event: the Paris to Dakar rally]. *Cah Biothér* 1983; **78**: 35–40.
- A196 Hariveau E. La recherche clinique à l'Institut Boiron [Clinical research at the Boiron Institute]. *Homéopathie* 1987; **5**: 55–58.
- A197 Hariveau E. Comparaison de Cocculine® au placebo et à un produit de référence dans le traitement de la naupathie [Comparison of Cocculine® with placebo and a reference product in the treatment of seasickness]. *Hom Franc* 1992; **80**: 17–20.
- A198 Heilmann A. Ein injizierbares Kombinationspräparat (Engystol N) als Prophylaktikum des grippalen Infektes [An injectable combination drug (Engystol N) as a prophylactic agent for the common cold]. *Biol Med* 1992; **21**: 225–229.
- A199 Hildebrandt G, Eltze C. Über die Wirksamkeit verschiedener Potenzen (Verdünnungen) von Arnica beim experimentell erzeugten Muskelkater – weitere Beiträge zu einer Pharmakologie adaptiver Prozesse – III. Mitteilung [On the effectiveness of different potencies (dilutions) of Arnica in experimentally induced muscle pain – further contributions to adaptive processes of pharmacology – Part III]. *Erfahrungsheilk* 1984; **33**: 430–435.
- A200 Hildebrandt G, Eltze C. Über die Wirksamkeit verschiedener Dosen und Potenzen (Verdünnungen) von Rhus toxicodendron beim experimentell ausgelösten Muskelkater – Weitere Beiträge zu einer Pharmakologie adaptiver Prozesse (II. Mitteilung) [On the effectiveness of different doses and potencies (dilutions) of Rhus toxicodendron during experimentally induced muscle pain – further contributions to adaptive processes of pharmacology (Part II)]. *Erfahrungsheilk* 1983; **32**: 743–750.
- A201 Hildebrandt G, Eltze C. Über die Wirksamkeit einer Behandlung des Muskelkaters mit Rhus toxicodendron D4. Zwei Beiträge zur Pharmakologie adaptiver Prozesse [On the effectiveness of treatment of muscle soreness with Rhus Toxicodendron D4. Two papers on the pharmacology of adaptive processes]. *Wiss Arch Hufelandgesell Gesamtmed* 1983; **1**: 3–18.
- A202 Hildebrandt G, Eltze C. Über die Wirksamkeit einer Behandlung des Muskelkaters mit Rhus toxicodendron D4. Ein Beitrag zur Pharmakologie adaptiver Prozesse [On the effectiveness of treatment of muscle soreness with Rhus Toxicodendron D4: a contribution to pharmacology of adaptive processes]. *Erfahrungsheilk* 1983; **32**: 358–364.
- A203 Kennedy CO. A controlled trial. *Br Homoeopath J* 1971; **60**: 120–127.
- A204 Köhler T. Wirksamkeitsnachweis eines Homöopathikums bei chronischer Polyarthritis – eine randomisierte Doppelblindstudie bei niedergelassenen Ärzten [Effective detection of a homeopathic remedy for rheumatoid arthritis – a randomized double-blind study of physicians]. *Kassenarzt* 1991; **13**: 48–52.
- A205 Kulkarni A, Nagarkar BM, Burde GS. Radiation protection by use of homeopathic medicines. *Hahnemann Homoeopath Sand* 1988; **12**: 20–23.
- A206 Kurz C, Nagele F, Zorzi M, Karras H, Enzelsberger H. Bewirkt Homöopathie eine Verbesserung der Reizblasensymptomatik? [Does homeopathy cause an improvement in symptoms of overactive bladder?] *Gynakol Geburt Rundts* 1993; **33**(Suppl. 1): 330–331.
- A207 Lecocq PL. Les voies thérapeutiques des syndromes grippaux [Therapeutic approaches to influenza]. *Cah Biothér* 1985; **87**: 65–73.
- A208 Lepaisant C. Essai thérapeutique en homéopathie: traitement des tensions mammaires et mastodynies du syndrome prémenstruel [Clinical trials in homeopathy: treatment of mastodynia due to premenstrual syndrome]. *Rev Fr Gynecol Obstet* 1995; **90**: 94–97.
- A209 Macedo SB, Carvalho JCT, Ferreira LR, Dos Santos-Pinto R. Effect of Arnica montana 6 cH on edema, mouth opening and pain in patients submitted to extraction of impacted third molars. *Arztezeitschr Naturheilverf Regulationsmed* 2005; **46**: 381–387.
- A210 Manchanda RK, Mehan N, Bahl R, Atey R. Double blind placebo controlled clinical trials of homeopathic medicines in warts and molluscum contagiosum. *CCRH Quart Bull* 1997; **19**: 25–29.
- A211 Matusiewicz R. Wirksamkeit von Engystol N bei Bronchialasthma unter kortikoidabhängiger Therapie [Efficacy of Engystol N in corticosteroid-dependent bronchial asthma]. *Biol Med* 1995; **24**: 242–246.
- A212 Matusiewicz R, Wasniewski J, Sterna-Bazanska A, Hülsberg M. Behandlung des chronischen asthma bronchiale mit einem homöopathischen komplexmittel [Treatment of chronic bronchial asthma with a homeopathic complex remedy]. *Erfahrungsheilk* 1999; **48**: 367–374.
- A213 Matusiewicz R, Rotkiewicz-Piorun A. Behandlung schwerer Formen von kortikoidabhängigem Bronchialasthma mit Immunsuppressiva und Antihomotoxischen Mitteln [Treatment of severe forms of bronchial asthma with corticosteroid-dependent immunosuppressive antihomotoxic agents]. *Biol Med* 1997; **26**: 67–72.

Table 1 (Continued)

References

- A214 Mössinger P. Die Behandlung der Pharyngitis mit Phytolacca. Ergebnis einer Fragebogenaktion der Forschungsgemeinschaft für Homöopathie [The treatment of pharyngitis with Phytolacca. Result of the homeopathic research community questionnaire]. *Allgem Homöopath Zeit* 1973; **218**: 111–121.
- A215 Mössinger P. Zur therapeutischen Wirksamkeit von Hepar sulfuris calcareum D4 bei Pyodermien und Furunkeln [On the therapeutic efficacy of Hepar sulphuris calcareum D4 for pyoderma and boils]. *Allgem Homöopath Zeit* 1980; **225**: 22–27.
- A216 Mössinger P. Untersuchung zur Behandlung des akuten Fließschnupfens mit Euphorbium D3 [Investigation of the treatment of acute runny nose with Euphorbium D3]. *Allgem Homöopath Zeit* 1982; **227**: 89–95.
- A217 Mössinger P. Untersuchung über die Behandlung des akuten Pharyngitis mit Phytolacca D2 [Study on the treatment of acute pharyngitis with Phytolacca D2]. *Allgem Homöopath Zeit* 1976; **221**: 177–183.
- A218 Mössinger P. Mißlungene Wirksamkeitsnachweise [Unsuccessful proof of efficacy]. *Allgem Homöopath Zeit* 1976; **221**: 26–31.
- A219 Mössinger P. Untersuchung über die Behandlung von Furunkeln und Pyodermien mit Hepar sulfuris calcareum D4 [Study on the treatment of boils and pyoderma with Hep calcareum D4]. *Allgem Homöopath Zeit* 1976; **221**: 137–146.
- A220 Mössinger P. Untersuchung über die Behandlung der akuten Pharyngitis mit Phytolacca D2 [Study on the treatment of acute pharyngitis with Phytolacca D2]. *Erfahrungsheilk* 1977; **26**: 20–23.
- A221 Mössinger P. Homöopathische Therapie fieberhafter und fieberloser Pharyngitiden. Doppelblindversuch zur Feststellung der therapeutischen Wirksamkeit eines homöopathischen Medikamentes [Homeopathic treatment of febrile and afebrile pharyngitis: Double-blind study to determine the therapeutic efficacy of a homeopathic medicine]. *Dtsch Arztebl* 1977; **14**: 947–950.
- A222 Mössinger P. Zur Behandlung der Otitis media mit Pulsatilla [Treatment of otitis media with Pulsatilla]. *Kinderarzt* 1985; **16**: 581–582.
- A223 Niederle S. Akute, streptokokken-negative Tonsillitis bei Kindern – Eine doppelblinde Placebokontrollierte Studie belegt die Wirksamkeit und Verträglichkeit der homöopathischen Therapie [Acute streptococcal-negative tonsillitis in children – a double-blind placebo-controlled study demonstrating the efficacy and tolerability of homeopathic treatment]. *Kassenarzt* 2001; **21**: 33–34.
- A224 Raschka C, Trostel Y. Effekt einer homöopathischen Arnika-präparation (D4) auf Muskelkater [Effect of a homeopathic Arnica preparation (D4) on delayed onset muscle soreness]. *MMW Fortschr Med* 2006; **148**: 93–95.
- A225 Reilly DT, Taylor MA. Potent placebo or potency? A proposed study model with initial findings using homeopathically prepared pollens in hayfever. *Br Homoeopath J* 1985; **74**: 65–75.
- A226 Ritter H. Ein homöotherapeutischer doppelter Blindversuch und seine Problematik [A homeotherapeutic double-blind test and its problems]. *Hippokrates* 1966; **12**: 472–476.
- A227 Rottey EED, Verleye GB, Liagre RLP. Het effect van een homeopathische bereiding van micro organismen bij de preventie van griepsymptomen: een gerandomiseerd dubbel-blind onderzoek in de huisartspraktijk [The effect of a homeopathic preparation in the prevention of flu symptoms: a randomized double-blind trial in primary care practice]. *Tijdschr Integ Genees* 1995; **11**: 54–58.
- A228 Ruff F. Homeopathische repliek op de stuifmeeltijd [Homeopathic response at pollen time]. *Arts Alternatief* 1992; **6**: 9–10.
- A229 Salenko IA, Barchukov VG, Sergeeva SA, et al. [Pharmacoprophylaxis of sea-sickness syndrome with the help of homeopathic drug Avia-more]. *Voen Med Zh [Milit Med J]* 2006; **327**: 55–59, 96.
- A230 Savage RH, Roe PF. A double blind trial to assess the benefit of Arnica montana in acute stroke illness. *Br Homoeopath J* 1977; **66**: 207–220.
- A231 Savage RH, Roe PF. A further double blind trial to assess the benefit of Arnica montana in acute stroke illness. *Br Homoeopath J* 1978; **67**: 210–222.
- A232 Schmidt C. A double-blind, placebo-controlled trial: Arnica montana applied topically to subcutaneous mechanical injuries. *J Am Inst Homeopath* 1996; **89**: 186–193.
- A233 Schwab G. Läßt sich eine Wirkung homöopathischer Hochpotenzen nachweisen? Eine kontrollierte Cross-over Doppelblindstudie bei Hautkrankheiten [Is it possible to detect an effect of homeopathic high dilutions? A controlled double-blind crossover study of skin diseases]. *Allgem Homöopath Zeit* 1990; **235**: 135–139.
- A234 Selkova EP, Semenenko TA, Gorbachev IA. [Use of Oscilloccinum for the prevention and treatment of influenza and acute respiratory viral infections]. *Infectionni Bolezni* 2005; **3**: 20–24.
- A235 Tétau M. Arnica and injury: double blind clinical study. *Homeopathic Heritage* 1993; **18**: 625–627.
- A236 Thiel W, Borho B. Die therapie von frischen, traumatischen Blutergüssen der Kniegelenke (Hämarthros) mit Traumeel N Injektionslösung [The treatment of fresh traumatic bruising of the knee joints (hemarthrosis) with Traumeel N injection solution]. *Biol Med* 1991; **20**: 506–515.
- A237 Torbicka E, Brzozowska-Binda A, Wilczyński J, Uzarowicz A. RS-Virusinfektionen bei Säuglingen: Therapie mit einem Homöopathikum [RSV infections in infants: therapy with a homeopathic preparation]. *Biomed Ther* 1998; **16**: 256–260.
- A238 Ustianowski PA. A clinical trial of Staphysagria in postcoital cystitis. *Br Homoeopath J* 1974; **63**: 276–277.
- A239 Villatoro Cadena CR, Cuevas JL. Tratamiento del síndrome diarreico agudo (SDA) con homeopatía [Treatment of acute diarrhoea with homeopathy]. *Hom Méx* 1991; **550**: 16–25.
- A240 Werk W, Galland F. Helianthus-tuberosus-Therapie bei Übergewicht [Helianthus tuberosus therapy for the overweight]. *Therapiewoche* 1994; **44**: 34–39.
- A241 Wiesenauer M, Häussler S, Gaus W. Pollinosis-Therapie mit Galphimia glauca [Treatment of pollinosis with Galphimia glauca]. *MMW Fortschr Med* 1983; **101**: 811–814.
- A242 Wolf J. Schlafstörungen ohne Hang-over behandeln – Ergebnisse einer klinischen Studie mit einem pflanzlich-homöopathischen Mittel [Treating sleep disorders without hang-over – results of a clinical study with plant-based homeopathic remedies]. *NaturaMed* 1992; **7**: 586–589.
- A243 Zell J, Connert WD, Mau J, Feuerstake G. Behandlung von akuten Sprunggelenksdistorsionen. Doppelblindstudie zum Wirksamkeitsnachweis eines homöopathischen Salbenpräparats [Treatment of acute sprains of the ankle. Controlled double-blind trial to test the effectiveness of a homeopathic ointment]. *MMW Fortschr Med* 1988; **106**: 96–100.
- A244 Zicari D, Ricciotti F, Vingolo EM, Zicari N. Valutazione dell'azione angioprotettiva di preparati di Arnica nel trattamento della retinopatia diabetica [Evaluation of angioprotective preparations of Arnica in treatment of diabetic retinopathy]. *Bol Oculist* 1992; **71**: 841–848.

(Continued on next page)

Table 1 (Continued)

References

(3) Controlled by OTP: individualised homeopathy (n = 2)

- A245 Gerhard I. Weibliche Fertilitätsstörungen Homöopathie versus Hormontherapie [Female infertility: homeopathy versus hormone therapy]. *Therapiewoche* 1993; **43**: 2582–2588.
- A246 Gerhard I. Homöopathie versus konventionelle Therapie bei weiblichen Fertilitätsstörungen: Eine monozentrische, prospektive, offene und teilrandomisierte Therapievergleichsstudie [Homeopathy versus conventional treatment in female fertility disorders: a single-center, prospective, open and partially randomized comparative study]. *Erfahrungsheilk* 1999; **48**: 527–541.

(4) Controlled by OTP: non-individualised homeopathy (n = 17)

- A247 Beer AM, Sturm R, Kupper F. Der Einsatz eines homöopathischen Komplexmittels beim klimakterischen Syndrom im Vergleich zur Hormonsubstitution [The use of a homeopathic complex remedy for the treatment of menopausal syndrome in comparison with hormone replacement therapy]. *Erfahrungsheilk* 1995; **44**: 336–340.
- A248 Bononi M. Echinacea Compositum Forte S nella profilassi delle infezioni post-operatorie. Studio comparativo versus Ceftazidime e Ceftriaxone [Echinacea Compositum Forte S in post-surgical infections prophylaxis: a comparative study versus Ceftazidime and Ceftriaxone]. *Med Biol* 2001; **1**: 17–22.
- A249 Casper J, Foerstel G. Traumeel bei traumatischen Weichteilschwellungen [Traumeel for traumatic soft tissue swellings]. *Therapiewoche* 1967; **17**: 892–895.
- A250 Colombo M, Rigamonti G, Danza ML, Bruno A. Comparative evaluation of Guna[®]-Flu vs vaccine for the influenza syndrome prevention in pediatrics. A prospective, multicentre, randomized, controlled study. *Med Biol* 2007; **3**: 3–10.
- A251 Geiger G. Klinische Erfahrungen mit Traumeel bei Weichteilkontusionen und Frakturen und mit Vertigoheel bei der Commotio cerebri acuta [Clinical experiences with Traumeel on soft tissue contusions and fractures and with Vertigoheel in acute cerebral concussion]. *Med Welt* 1968; **18**: 1203–1204.
- A252 Maiko OY. Homöopathische therapie der gonarthrose mit Zeel T [Homoeopathic therapy of gonarthrosis with Zeel T]. *Biol Med* 2002; **31**: 68–74.
- A253 Maronna U, Weiser M, Klein P. Orale Behandlung der Gonarthrose mit Zeel comp. – Ergebnisse einer doppelblinden Äquivalenzstudie versus Diclofenac [Oral treatment of osteoarthritis of the knee with Zeel comp. – results of a double-blind equivalence study versus diclofenac]. *Biol Med* 2000; **29**: 157–158.
- A254 Mergen H. Therapie posttraumatischer Schwellungen mit Traumeel. Beitrag zur Relation Dosis : Wirkung eines Kombinationspräparates [Treatment of post-traumatic swelling with Traumeel: contribution to the dose effect relation of a combination product]. *MMW Fortschr Med* 1969; **111**: 298–300.
- A255 Nahler G, Metelmann H, Sperber H. Behandlung der Gonarthrose mit Zeel comp. – Ergebnisse einer randomisierten, kontrollierten klinischen Prüfung im Vergleich zu Hyaluronsäure [Treatment of gonarthrosis with Zeel comp. – results of a randomised, controlled, comparative clinical trial with hyaluronic acid]. *Orthopäd Prax* 1996; **32**: 354–359.
- A256 Prinzing G. Lachesis und Pyrogenium bei Kriegsverletzungen [Lachesis and Pyrogen in war injuries]. *Hippokrates* 1948; **19**: 242–246.
- A257 Ricciotti F, Bernardini C, D'Aco L, Giannuzzi AL, Passàli GC, Passàli D. Studio pilota sulle rinosinuiti croniche per valutare l'efficacia e la tollerabilità di un trattamento antibiotico standard (Amoxicillina e acido Clavulanico) associato a un complesso omeopatico (Dr. Reckeweg R1) [Pilot study on chronic rhinosinusitis in order to evaluate efficacy and tolerability of a standard antibiotic treatment (Amoxicillin and Clavulanic Acid) associated to an homeopathic complex (Dr. Reckeweg R1)]. *Riv Ital Otolaringol Aud Fon* 2005; **25**: 109–117.
- A258 Stippig SG. Atemwegserkrankungen bei Kindern – Homöopathische und konventionelle Behandlung gleich gut [Respiratory diseases in children – homeopathic and conventional treatment are equally good]. *Allgemeinarzt* 1996; **18**: 931–936.
- A259 Strösser W, Weiser M. Patienten mit Gonarthrose gewinnen ihre Mobilität zurück. Homöopathikum im Doppelblind-Vergleich [Patients with gonarthrosis gaining back mobility – homeopathic in a double blind comparison]. *Biol Med* 2000; **29**: 295–299.
- A260 Strösser W, Weiser M. Lebensqualität bei Patienten mit Schwindel – Homöopathikum im Doppelblind-Vergleich [Quality of life in patients with dizziness – homeopathic remedy in a double-blind comparison]. *Biol Med* 2000; **29**: 242–247.
- A261 Supino C. Upper respiratory infections prevention in children with Guna[®]-Flu. A multicentre, controlled, randomized study. *Med Biol* 2002; **3**: 19–23.
- A262 Wiesenauer M, Gaus W. Wirksamkeitsvergleich verschiedener Potenzierungen des homöopathischen Arzneimittels Galphimia glauca beim Heuschnupfen-Syndrom – Eine multizentrische, kontrollierte, randomisierte Doppelblindstudie [Comparative efficacy of different potencies of homeopathic medicine Galphimia glauca in hay fever syndrome – a multicenter, controlled, randomized double-blind study]. *Dt Apothek Ztg* 1986; **126**: 2179–2185.
- A263 Wolschner U, Strosser W, Weiser M, Klein P. Behandlung des schwindels mit einem modernen homöopathikum [Therapy of vertigo with a modern homeopathic]. *Biol Med* 2001; **30**: 184–190.

Placebo-controlled versus OTP controlled: Of the 263 accepted records, more have reported placebo-controlled trials ($n = 217$; 82.5%) than OTP-controlled trials ($n = 46$; 17.5%) – **Figure 1** and **Table 1**. For PR records, the number focused on placebo is 137/164 (83.5%); for NPR records the number focused on placebo is 80/99 (80.8%).

Individualised versus non-individualised homeopathy: As **Figure 1** and **Table 1** illustrate, the accepted RCT literature ($n = 263$) has focused less on individualised homeopathy (total of 68 records; 25.9%) than on non-individualised homeopathy (total of 195 records; 74.1%).

For PR records, the proportion that has investigated individualised homeopathy is 53/164 (32.3%), of which 41 are placebo-controlled; the proportion for non-individualised homeopathy is 111/164 (67.7%), of which 96 are placebo-controlled (**Figure 1**). For NPR records, the proportion that investigated individualised homeopathy is only 15/99 (15.2%), of which 13 are placebo-controlled; the proportion focused on non-individualised homeopathy is 84/99 (84.8%), of which 67 are placebo-controlled (**Figure 1**).

Publication timeline: For PR research, the peak period of publication was 1997–2001, when a rapid increase from




Figure 2 Language of publication.
Filled bars: PR records; unfilled bars: NPR records.
Key to abbreviations: Dut. = Dutch; Eng. = English; Fre. = French; Ger. = German; Ita. = Italian; Nor. = Norwegian; Por. = Portuguese; Rus. = Russian; Spa. = Spanish.

the previous publication rates occurred (Figure 3a/b); the median year of publication is 2001 (IQR, 1996–2006). The first PR record was published in 1973. For NPR research, the peak period of publication was 1992–1996; the median year of publication is 1991 (IQR, 1983–1997). The first NPR record was published in 1948. There has been a marked decrease in NPR-published research over the past decade.

Figure 3a and b show the timelines for placebo/OTP control and individualised/non-individualised homeopathy respectively. OTP trials have been published more frequently in the past 15–20 years, though numbers remain small (Figure 3a). Trials of individualised homeopathy started to become prominent, in the PR literature only, from the period 1992–97; recently there has been a decline in the numbers of trials of individualised homeopathy, from a peak during the period 2002–06 (Figure 3b).

Medical conditions: For the categories of medical condition represented by RCT research, several are prominent in both the PR and the NPR literatures: Surgery & Anaesthesiology (PR, 10.4%; NPR, 8.1%); Allergy & Asthma (9.1%; 9.1%); Ear Nose & Throat (9.1%; 9.1%); Musculoskeletal (7.9%; 11.1%). Studies on Mental Disorders are more frequently seen in the PR than in the NPR literature (8.5% cf. 4.0%), whilst those on Respiratory Infection are less frequent in the PR literature (6.1% cf. 11.1%). See Figure 4 for further details.

The 263 papers reported findings in 122 different medical conditions. The PR and NPR literatures include a similar publication rate per medical condition (PR, 164 records reporting 91 conditions [1.8 records per condition]; NPR, 99 records reporting 59 conditions [1.7 records per condition]). In 45 conditions more than a single RCT has been reported in either the PR or the NPR literature; Table 2 lists the 22 conditions for which there have been at least 3 PR and/or NPR records per condition. The most frequently reported conditions in both the PR and NPR literature are muscle soreness (PR, 8 records; NPR, 6 records), seasonal allergic rhinitis (PR, 9;




Figure 3 (a) Number of records published per 5-year period: Placebo- versus OTP-controlled RCTs.

Dark grey bars = PR records (placebo-controlled RCTs); mid grey bars = PR records (OTP-controlled RCTs); pale grey bars = NPR records (placebo-controlled RCTs); unfilled bars = NPR records (OTP-controlled RCTs).

(b) Number of records published per 5-year period: Individualised versus non-individualised homeopathy.

Dark grey bars: PR records (individualised homeopathy); mid grey bars: PR records (non-individualised homeopathy); pale grey bars: NPR records (individualised homeopathy); unfilled bars: NPR records (non-individualised homeopathy).

NPR, 5), influenza (PR, 3; NPR, 5), and upper respiratory tract infection (PR, 4; NPR, 4).

Comparison with two previous systematic reviews of placebo-controlled RCTs

Web Appendix 2 (A and B) focus on placebo-controlled research only: they list and characterise our rejected records (repeat or non-repeat) and our accepted records of placebo-controlled trials, and in comparison with the systematic reviews carried out by Linde *et al.* (1997)⁸ and Shang *et al.* (2005).⁹ Our literature search strategy retrieved additional sets of records that might potentially have been included in those previous reviews:

Rejected records of placebo-controlled trials (n = 195; Web Appendix 2A): Of the 195 records (repeat or non-repeat) of placebo-controlled research that we rejected, we regard 53 and 161 as having been potentially eligible for Linde and Shang respectively (see Web Appendix 2A,




Figure 4 Categories of medical condition.

Filled bars: PR records; unfilled bars: NPR records.

Key to abbreviations: Allergy/Asth = Allergy/Asthma; Cardiovasc = Cardiovascular; Dermatol = Dermatology; ENT = Ear, Nose & Throat; Gastroent = Gastroenterology; Immune Dis = Immune disorder; Mental Dis = Mental disorder; Misc = Miscellaneous; Musculosk = Musculoskeletal; Nausea/Vert = Nausea/Vertigo; Obst/Gynae = Obstetrics & Gynaecology; Ophthalmol = Ophthalmology; Resp Inf = Respiratory Infection; Rheumatol = Rheumatology; Surg/Anaes = Surgery & Anaesthesiology; Toxicol = Toxicology; Tropical Dis = Tropical disease.

Grand Totals).^h Those records actually listed in the previous review papers were 32 (of which Linde accepted 20 for analysis) and 50 (of which Shang accepted 21 for analysis). Compared to the numbers in this category that we regard as having been *potentially listed* in each of the previous reviews, we thus identified 21 records more than Linde and 111 records more than Shang.ⁱ

Thus, we have rejected 20 (Linde) and 21 (Shang) records, comprising a total of 25 *unique* records whose data were included for analysis by Linde and/or Shang. These 25 unique records include 2 that we regard as not randomised and/or controlled (records ‘R175’ and ‘R213’) and 2 that we judge to be not ‘homeopathic’ (‘R194’ and, as did Shang, ‘R222’). Another 5 of the 25 records are among those we rejected as repeat publications. The remaining 16 unique records are from either non-journal ($n = 13$) or minor journal ($n = 3$) sources. See [Web Appendix 2A](#) for details.

Accepted records of placebo-controlled trials ($n = 217$; [Web Appendix 2B](#)):

Potentially eligible for Linde: In total, we accepted 96 (34 PR, 62 NPR) compared with 71 (32 PR, 39 NPR) records that were also listed by Linde – an additional 25 (2 PR, 23 NPR) in our case. Of these 71 records also listed by Linde, 59 were included in their data analysis and 12 were not.

Potentially eligible for Shang: In total, we accepted 151 (77 PR, 74 NPR) compared with 110 (63 PR, 47 NPR) records that were also listed by Shang – an additional 41 (14

Table 2 Medical conditions with replicated RCT research ($n > 3$ records) in at least the PR or the NPR journal literature

	PR		NPR	
	n	% of PR	n	% of NPR
Acute trauma			3	3.0
Anxiety	4	2.4		
Arsenic toxicity	4	2.4		
Bronchial asthma			4	4.0
Childhood asthma	3	1.8		
Childhood diarrhoea	4	2.4		
Eczema	3	1.8		
Female infertility	3	1.8	2	2.0
Fibromyalgia	6	3.7		
Hypertension	3	1.8		
Influenza	3	1.8	5	5.1
Insomnia	3	1.8		
Low back pain	3	1.8		
Muscle soreness	8	4.9	6	6.1
Osteoarthritis	3	1.8	4	4.0
Pharyngitis			4	4.0
Post-operative pain	5	3.0		
Rheumatoid arthritis	4	2.4		
Seasickness			3	3.0
Seasonal allergic rhinitis	9	5.5	5	5.1
Sinusitis	5	3.0		
URTI	4	2.4	4	4.0

PR, 27 NPR) in our case. Of these 110 records also listed by Shang, 83 were included in their data analysis and 27 were not.^j

The above-identified 71 (Linde) and 110 (Shang) comprise a total of 121 (70 PR, 51 NPR) of our unique records that were also listed by Linde and/or Shang. And the above-identified 25 and 41 additional records comprise a total of 30 (7 PR, 23 NPR) unique records that were potentially eligible for, but not listed by, Linde or Shang.^k For further details, see [Web Appendix 2B](#).

Thus we retrieved, and accepted, $217 - 121 = 96$ unique, substantive, journal records of placebo-controlled research that were not listed by Linde or Shang. Of those 96 additional records, 66 were published between a previous cut-off date and ours (given in italics in [Web Appendix 2B](#)), and 30 were records potentially eligible for (but not listed by) Linde or Shang. Our newly identified 96 records of placebo-controlled trials comprise 67 in the PR literature. (The 67 may be verified as the difference between the total number of PR records of placebo-controlled trials that we accepted minus the number listed by Linde/Shang: i.e. $41 - 17 = 24$ that studied individualised homeopathy [[Web Appendix 2B](#), section a1] plus $96 - 53 = 43$ that studied non-individualised homeopathy [[Web Appendix 2B](#), section a2]).

^hWithin this set of 195 rejected records, 12 that were listed (though excluded from analysis) by Linde were not listed by Shang (see [Web Appendix 2A](#) for details).

ⁱ20 of these 21 (Linde) and 111 (Shang) records were not listed by both previous reviews. In total there are 112 unique records that were not listed by, though potentially eligible for, Linde or Shang ([Web Appendix 2A](#)).

^jWithin our total set of 217 accepted records, 11 that were listed (though excluded from analysis) by Linde were not listed by Shang ([Web Appendix 2B](#)). With the 12 such instances that we rejected (footnote^h), there are 23 records in total that were listed by Linde but not by Shang.

^kCombining the numbers from our lists of those potentially eligible for Linde and Shang, the grand totals of our additional records are: $21 + 25 = 46$ more than Linde; $111 + 41 = 152$ more than Shang. We identified $112 + 30 = 142$ unique records that were potentially eligible for Linde and/or Shang, but not listed by either.

Discussion

Our search findings and initial data extraction provide a greatly clarified, expanded and refined view of the clinical trial literature in homeopathy. In addition to its importance in informing the research community about the full details of the RCT literature in homeopathy, the key findings will directly inform our forthcoming programme of systematic reviews. Only a few previous reviews have separated treatment from prophylaxis (e.g.²¹) or OTP- from placebo-controlled trials (e.g.²²) or individualised from non-individualised homeopathy (e.g.²³).

Our literature search strategy retrieved and *accepted* a set of unique, time-relevant records of placebo-controlled trials that is 30 more than were listed by Linde or Shang.^{8,9} We will not explore in depth the reasons for these discrepancies, but they may include: (a) differences in the precise inclusion criteria for the different searches and for the listing of records retrieved; (b) the difficulty of attributing month-specific publication dates for archived records; (c) the fact that we have benefited from the more complete and accessible bibliographic resources that are now available. In any event, we cannot regard our literature search as having been completely successful, though we believe we have not missed significant publications, in the PR literature in particular. Moreover, our comparisons with Linde/Shang are intended primarily to define the additional records that we have accepted for subsequent review.¹

The records of placebo-controlled RCTs that we retrieved (121 included by Linde/Shang; 66 published after Linde/Shang; 30 not included by Linde/Shang) provide a total of 217 journal papers for our planned programme of systematic reviews. Along with the 46 records that reported OTP trials, there are altogether 263 records for our review programme overall; 164 of these are in the PR literature (Figure 1).

Given our prior experience with the homeopathy research literature, we are not surprised to have identified 95 repeat publications and 37 substantive journal records that do not include randomisation and/or controls. And it is notable that 16 substantive records that were retrieved using the search term 'homeopath*' did not use a truly 'homeopathic' medicine. It is important to be aware of these issues in the categorisation of research in the relevant electronic databases. Because of our prospective focus on the journal literature only, we do not know how many of the 61 non-repeat records of book chapters and theses etc. were truly randomised or controlled or 'homeopathic' in

nature. However, we do know that 54 of these 61 records included a placebo group, and that 51 of the 61 studied non-individualised homeopathy (Web Appendix 1).

It is also noteworthy that we *rejected* from subsequent analysis a total of 25 unique records of placebo-controlled trials whose data were analysed by Linde and/or Shang.^{8,9} This difference between the previous reviews and ours is largely accounted for by our automatic exclusion of book chapters, theses, conference proceedings, etc. In addition, Linde included several references that subsequently were published as full journal articles and which we have designated 'repeat' records. Of perhaps more concern is our identification of 4 records from Linde and/or Shang that we do not regard as randomised and/or controlled and/or 'homeopathic' in nature.

The 263 substantive journal publications that we identified and accepted are split 164/99 in the PR/NPR literature. Compared to the NPR records, the accepted PR literature is more frequently English-language and recently published, with each record retrieved typically from a much larger number of databases. With their relatively low rate of record retrieval (e.g. 116/164 PR papers and 3/99 NPR papers found in PubMed), it is apparent that the normal medical bibliographic databases are not suitable for identifying all RCTs in homeopathy; specialist resources such as CAM-Quest (Carstens-Stiftung) are therefore an essential source of information. But even CAM-Quest failed to yield 48 out of 263 accepted records; it now includes, or has re-categorised, those 48 records. If the last 15 years' improvement in the numbers of PR papers in the international literature is sustained, the proportion of easily retrievable articles from the standard databases would be likely to increase correspondingly.

Comparing the accepted PR and NPR journal research in homeopathy, the medical categories and conditions are broadly similar. RCTs on muscle soreness and seasonal allergic rhinitis are prominent in both domains of literature. Nevertheless, there is considerable heterogeneity in both the PR and NPR records, with research on a number of medical conditions being reported in only one or the other domain: e.g. 5 PR but no NPR records on post-operative pain, and 4 NPR but no PR records on pharyngitis. The fact that the 263 records reflect research on as many as 122 different medical conditions illustrates the considerable challenge this brings to data synthesis, analysis and reporting in the context of systematic review.

It is also striking that the majority of the accepted literature is placebo-controlled research and involves non-individualised homeopathy. There are broadly similar proportions in each sub-set of the accepted literature: placebo-controlled (PR, 83.5%; NPR, 80.8%); non-individualised homeopathy (PR, 67.7%; NPR, 84.8%). These statistics reinforce the growing view^{24,25} that research development in complementary medicine, including homeopathy, should focus additional effort on pragmatic trials and on individualised homeopathy. There is evidence of a recent increase in the relative numbers of OTP trials but a decrease in trials on individualised homeopathy (Figure 3).

The findings from the full data extraction and assessment of this large and complex literature will be reported

¹Although our comparative search findings are not focused on questioning the previous reviews' detailed literature retrieval, we identified many records that might potentially have been eligible for, but were not listed in, the reviews by Linde and/or Shang: an additional 142 unique records in total (112 of which we rejected from our forthcoming reviews). Furthermore, given that Shang's review was designed explicitly to update the entire review material provided by Linde, it was with interest that we noted 23 records that were listed (though rejected) by Linde but that were not listed anywhere by Shang (even amongst the latter group's list of rejected records).

subsequently in two main components: (1) treatment trials; (2) prophylaxis trials. As previously advocated by others,²⁶ the trials that are published in the NPR journal literature will not be prioritised for appraisal in our forthcoming programme of systematic reviews. The peer-review process undoubtedly raises the standard of published research, and prominent authorities see little or no worth in science that is disseminated outside this domain.²⁷ Nevertheless, NPR research should not be dismissed entirely – both Linde and Shang included substantial numbers of such records – and it is our intention in the future to appraise that literature. The fact that the records in the PR and NPR domains of the homeopathy literature have broadly similar characteristics suggests that our initial focus solely on PR publications will not misrepresent the balance of the literature overall.

The next stage of our review programme, including appropriate meta-analysis, will focus specifically on the 137 PR papers of placebo-controlled RCTs: 41 on individualised homeopathy and 96 on non-individualised homeopathy. This will reflect the 24 PR records of individualised homeopathy and 43 PR records of non-individualised homeopathy that have never previously been included in a comprehensive systematic review.

Acknowledgements

We thank Ms Sarah Thorning (Cochrane Acute Respiratory Infections Group, Bond University, Australia) for helpful comments on optimising literature search strategies. We are grateful to Prof Flávio Dantas (Universidade Federal de Uberlândia, Brazil) for translating Portuguese and Spanish texts, and to Dr Sara Eames (Royal London Hospital for Integrated Medicine, UK) for translations of Italian texts. Ms Elizabeth Baitson (British Homeopathic Association) assisted in formatting the *Excel* spreadsheet for data recording.

Supplementary data: Web Appendices

Supplementary data related to this article (Web Appendix 1, 2A, 2B) can be found at <http://dx.doi.org/10.1016/j.homp.2012.10.002>.

References

- de Lange de Klerk ESM, Blommers J, Kuik DJ, Bezemer PD, Feenstra L. Effects of homeopathic medicines on daily burden of symptoms in children with recurrent upper respiratory tract infections. *BMJ* 1994; **309**: 1329–1332 [Reference A11 in Table 1].
- Fisher P, Greenwood A, Huskisson EC, Turner B, Belon P. Effect of homeopathic treatment on fibrositis (primary fibromyalgia). *BMJ* 1989; **299**: 365–366 [Reference A66 in Table 1].
- Reilly D, Taylor MA, Beattie NGM, et al. Is evidence for homeopathy reproducible? *Lancet* 1994; **344**: 1601–1606 [Reference A112 in Table 1].
- Stevinson C, Devaraj VS, Fountain-Barber A, Hawkins S, Ernst E. Homeopathic arnica for prevention of pain and bruising: randomized placebo-controlled trial in hand surgery. *J R Soc Med* 2003; **96**: 60–65 [Reference A122 in Table 1].
- White A, Slade P, Hunt C, Hart A, Ernst E. Individualised homeopathy as an adjunct in the treatment of childhood asthma: a randomised placebo controlled trial. *Thorax* 2003; **58**: 317–321 [Reference A39 in Table 1].
- Faculty of Homeopathy. Randomised controlled trials in homeopathy. http://www.facultyofhomeopathy.org/research/rcts_in_homeopathy/ [accessed 20.07.12].
- House of Commons Science and Technology Committee. *Evidence check 2: homeopathy. Fourth report of session 2009–10*. London: The Stationery Office Ltd, 22 February 2010, pp Ev37–Ev43.
- Linde K, Clausius N, Ramirez G, et al. Are the clinical effects of homeopathy placebo effects? A meta-analysis of placebo-controlled trials. *Lancet* 1997; **350**: 834–843.
- Shang A, Huwiler-Muntener K, Nartey L, et al. Are the clinical effects of homeopathy placebo effects? Comparative study of placebo-controlled trials of homeopathy and allopathy. *Lancet* 2005; **366**: 726–732.
- Anon. Homeopathy – dilute information and little knowledge. *Ban-dolier* 1997; **45**. Article 2.
- Lüdtke R, Rutten ALB. The conclusions on the effectiveness of homeopathy highly depend on the set of analyzed trials. *J Clin Epidemiol* 2008; **61**: 1197–1204.
- Higgins JPT, Altman DG, Sterne JAC. Chapter 8: Assessing risk of bias in included studies. In: Higgins JPT, Green S (eds). *Cochrane Handbook for Systematic Reviews of Interventions*. Version 5.1.0. The Cochrane Collaboration, 2011.
- Mathie RT, Roniger H, Van Wassenhoven M, et al. Method for appraising model validity of randomised controlled trials of homeopathic treatment: multi-rater concordance study. *BMC Med Res Methodol* 2012; **12**: 49.
- Lefebvre C, Manheimer E, Glanville J. Chapter 6: Searching for studies. In: Higgins JPT, Green S (eds). *Cochrane Handbook for Systematic Reviews of Interventions*. Version 5.0.2. The Cochrane Collaboration, 2009.
- Dean ME. *The trials of homeopathy. Origins, structures and development*. Essen, Germany: KVC Verlag, 2004.
- Ernst E, Pittler MH, Wider B (eds). *The Desktop Guide to Complementary and Alternative Medicine: An Evidence-based Approach*. 2nd edn. Edinburgh: Mosby Elsevier, 2006.
- Swayne J (ed). *International Dictionary of Homeopathy*. Edinburgh: Churchill Livingstone, 2000.
- The Serials Directory: An International Reference Book*. 13th edn, Vol V. Birmingham AL: EBSCO Publishing, 1999.
- Dantas F, Fisher P. A systematic review of homeopathic pathogenetic trials ('provings') published in the United Kingdom from 1945 to 1995. In: Ernst E, Hahn EG (eds). *Homeopathy: A Critical Appraisal*. Oxford: Butterworth Heinemann, 1998, pp. 69–97.
- Shang A, Huwiler-Muntener K, Nartey L, et al. Journal downloads: *The Lancet*, August 27, 2005. List of excluded homeopathy studies, http://www.ispm.ch/fileadmin/doc_download/1435.List_of_excluded_homoeopathy_studies.pdf [accessed 16.08.12].
- Vickers A, Smith C. Homeopathic Oscilloccinum for preventing and treating influenza and influenza-like syndromes. *Cochrane Database Syst Rev* 2006;(3). Article No. CD001957.
- Ernst E. Classical homeopathy versus conventional treatments: a systematic review. *Perfusion (Nürnberg)* 1999; **12**: 13–15.
- Linde K, Melchart D. Randomized controlled trials of individualized homeopathy: a state-of-the-art review. *J Altern Complement Med* 1998; **4**: 371–388.
- Boon H, MacPherson H, Fleishman S, et al. *Evid Based Complement Altern Med* 2007; **4**: 279–285.
- Fønnebo V, Grimsgaard S, Walach H, et al. Researching complementary and alternative treatments – the gatekeepers are not at home. *BMC Med Res Methodol* 2007; **7**: 7.
- Ernst E, Pittler MH. Efficacy of homeopathic arnica. A systematic review of placebo-controlled clinical trials. *Arch Surg* 1998; **133**: 1187–1190.
- Sense about Science. Peer review. <http://www.senseaboutscience.org/pages/peer-review.html> [accessed 21.02.12].